



DEFICIENCY CHECK LIST OF CASE SHEET

Sl.No.	List of Records	No. of Pages	Legibility	Completeness	Remarks
1	Admission sheet	1			
2	Discharge Summary	1			
3	Nursing Initial assessment	1			
4	Patient Transfer form	1			
5	In-patient Medical record	1			
6	Doctors progress sheets	5			
7	Nursing plan of care and handover sheets	3			
8	Consultation sheet				
9	General consent for treatment	1			
10	Consent for Surgery				
11	Consent for blood transfusion				
12	Consent for chemotherapy				
13	Consent for high risk				
14	Consent for Restraint				
15	LAMA consent				
16	Consent for special procedure / Sedation				
17	Consent for Formula feed				
18	Consent for MTP				
19	Consent for Radiological Investigations				
20	Consent for HIV test				
21	Anaesthesia notes (Pre Anaesthesia& post)				
22	Neonatal Admission/Delivery/Physical Exam				
23	Medication Reconciliation	1			
24	Emergency Triage record				
25	Pre operative check list				
26	Surgical safety checklist				
27	Operation Theatre notes				
28	Nurses clinical Presentation				
29	TPR & BP chart	2			
30	Intake and Out take chart (fluid chart)	1			
31	Drug chart (Regular Prescription)				
32	Investigation Values (result sheet)	1			
33	Nebulization chart				
34	Nutritional review chart				
35	Intensive care unit (ICU Charts)				
36	Consent for Admission in PICU / NICU				
37	The Humpty dumpty scale				
38	Braden Q Scale	2			
39	Bed side check list				
40	PICU bed formula Dilution feeds				
41	Gastro monitoring chart				
42	Rch ED doctors note				
43	BP Monitoring chart				
44	RBS monitoring chart				
	Billing	1			
	Others	5			
	Total No. of Pages	27			

DISCHARGE SUMMARY

Name	Baby Of PRAVA SAI SREE RAVI SUSMITHA	UHID	HNH-00016299
Father/Guardian	Mr SRIVASTHAVA	Age/Gender	0 Y 0 M 0 D 2 H/ Male
Address	FLAT NO-201, PLOT NO-81 NEW HAFEEZPET,,MARTHANADA NAGAR, Kondapur, Hyderabad, Telangana, INDIA		
IP No	IP26-00006713	Admission Date	02-07-2026
Ref Doctor	SELF		
Discharge Date	04.07.2026		

Consultant:

Dr. SINDHURA MUNUKUNTLA
MBBS, DCH, DNB PEDIATRICS
66970

DIAGNOSIS	ICD CODE
TERM (37 weeks + 6 days)/AGA/BABY BOY	

History: Baby Of PRAVA SAI SREE RAVI SUSMITHA is a term (37 weeks + 6 days) baby boy, delivered to a G2P1L1 mother by elective LSCS on 02.07.2026 at 08:28 am with birth weight of 3.140 kgs in Rainbow Children's Hospital, Himayatnagar, Hyderabad. Baby cried immediately after birth. Apgar scores were 8/10 at 1 min, 9/10 at 5 min. Inj. Vitamin K 1mg IM was given after delivery. Delayed cord clamping done. Fetal presentation was Vertex.

Name	Baby Of PRAVA SAI SREE RAVI SUSMITHA	UHID	HNH-00016299
IP No	IP26-00006713	Admission Date	02-07-2026

Maternal History: Mrs. PRAVA SAI SREE RAVI SUSMITHA is a 30 years old G2P1L1 mother.

G1 - 2022 - FTLSCS (Ind: Meconium stained liquor), Male, 3kgs, A&H

G2 - 2025 - Present Pregnancy, Spontaneous conception.

had regular Antenatal checkup's, received 2 doses of Injection. Tetanus Toxoid. Antenatal scans were normal. No history of Pregnancy Induced hypertension/ Urinary Tract Infection/ Antepartum Haemorrhage/ Hypothyroidism/ Gestational Diabetes Mellitus/ Oligohydramnios/ Polyhydramnios/ Prolonged Rupture Of Membranes/ Fever.

Mother's Blood group is AB positive. Baby's blood group is B positive.

Examination: Baby was euthermic (36.5 °C), euvoletic and was maintaining saturations at room air. On auscultation of chest, air entry was bilaterally equal with normal heart sounds. Bilateral femoral pulses well felt. Abdomen was soft with no organomegaly. Cry and activity were good. Anterior fontanelle was at level. No obvious external congenital anomalies were noted clinically. All external orifices were patent and open. All neonatal reflexes were normal.

Anthropometry:

Weight at birth : 3.140 kgs.
Weight at discharge : 2.980 kgs.
Head Circumference : 34 cms.
Length : 47 cms.

Investigations: Enclosed reports.

Management:

Course during hospital:

Name	Baby Of PRAVA SAI SREE RAVI SUSMITHA	UHID	HNH-00016299
IP No	IP26-00006713	Admission Date	02-07-2026

Cord ABG showed pH of 7.25, pCO₂ of 54.0 mmHg, pO₂ of 25 mmHg, HCO₃ of 23.8 mmol/L and BE of - 3.4 mmol/L.

Serum bilirubin at 48 hours of life was 10.9 mg/dl with indirect fraction of 10.8 mg/dl.

Feeding: Breast feeding was initiated (First feed was given within 30 minutes), but in view of insufficient mother milk / measured feeds were started. Baby tolerated the feeds well.

Vaccination: Baby was given following vaccination:

Vaccine Name	Status	Date
BCG	Given	03.07.2026
OPV	Given	03.07.2026
HEPATITIS B	Given	03.07.2026

TEOAE (Transient Evoked Otoacoustic Emissions): Hearing test:
Bilateral normal outer hair cells functioning.

Newborn screening advanced / Newborn screening-4 : Sent on 04.07.2026, report awaited.

SPO₂ : 98% at room air

Red Reflex: Present & Symmetrical

Hip Examination was normal.

Baby tolerating feeds well, hemodynamically stable, passed urine and

b.

4



Name	Baby Of PRAVA SAI SREE RAVI SUSMITHA	UHID	HNH-00016299
IP No	IP26-00006713	Admission Date	02-07-2026

meconium, hence being discharged with the following advice.

Condition at discharge: Baby is pink, warm, active and on direct breast feeds + measured feeds.

Advice:

Keep the baby clean & warm

Regular breast feeding

Continue direct breast feeds + measured feeds as advised.

Monitor urine output

Immunization as per schedule

Vitamin D3 Drops (1ml/800IU) 0.5ml once daily till further advice (after 5 days of life).

Nasoclear Nasal drops 2 drops in each nostril SOS for nose block.

Plan:

- 1. Newborn screening advanced / Newborn screening-4: Report to collect on followup.**

Review consultation with Dr. SINDHURA MUNUKUNTALA on (06.07.2026) Monday at Himayathnagar with prior appointment (**Review consultation will be charged**).

Review back to Hospital: If baby is not feeding continuously for > 6 hours, If breathing fast, Fever or poor activity or lethargy, Bluish discolouration of lips, Increase in jaundice, Abnormal movements occurs.

The content of the patient discharge summary, medication, food & drug interaction, care to be provided at home, nutrition, immunization and safe parenting, when and how to obtain emergency care etc also have been

Name	Baby Of PRAVA SAI SREE RAVI SUSMITHA	UHID	HNH-00016299
IP No	IP26-00006713	Admission Date	02-07-2026

explained by doctor in a language that I can understand and I acknowledge.

Parent/ Attender

In case of emergency contact 9154865030 emergency pediatrician on duty.

To take appointment for OPD consultation at Rainbow **Himayatnagar / Banjara Hills / Rainbow Clinic Madhapur / Kukatpally / Vikramপুরi / LB Nagar** dial just one toll free number **18002122**.

You can also take appointments at any time by going **online** to our website **www.rainbowhospitals.in**

Registrar/Resident/C.M.O

Dr. SINDHURA MUNUKUNTLA
MBBS, DCH, DNB PEDIATRICS
66970

CONSENT FOR FORMULA FEEDS

Patient Name : HN-00016299 IP26-00006713
Baby Of PRAVA SAI SREE RAVI Age : Gender : ☐ Male ☐ Female
02-07-2026 0 Y 0 M 0 D 15 H (M)

UHID No : Dr. SINDHURA MUNUKUNTLA Department : Date :


I Mr / Mrs. : aged years, hereby declare that I have
admitted my ☐ son / ☐ daughter in the Neonatal Intensive Care Unit of Rainbow Children's Hospital, Hyderabad on
..... I hereby give consent for formula feed for my child. Doctors have explained me
about the formula feeding benefits, risks, alternatives in the language I best understand.

Patient Attendant :

Signature :

Name :

Relationship with Patient:

Date & Time : 3/1/26 @


Witness :

Signature : 

Name : Sindhura

Date & Time : 3/1/26 @

Doctor (who is taking the consent) :

Signature : 

Name : Dr. Sindhura

Date & Time : 3/1/26 @



డబ్బా పాలు పట్టించుటకు సమ్మతి పత్రం

రోగి పేరు : వయస్సు లింగం పు ☐ స్త్రీ ☐

యు.హెచ్.ఐ.డి. రిజిస్ట్రేషన్ నెం.: విభాగము

తేదీ

నేను శ్రీ/శ్రీమతి వయస్సు సంవత్సరాలు

నా కుమార్తె/కుమారుడు రెయిన్ఫో ఆసుపత్రిలో నవజాత శిశువుల ఇంటెన్సివ్ కేర్ లో అడ్మిట్ చేసినాము మరియు (ఫార్ములా

ఫీడ్) డబ్బా పాలు పట్టించుటకు నా పూర్తి అంగీకారం తెలుపుచున్నాను. డాక్టర్లు డబ్బా పాలు త్రాగించడం వల్ల కలుగు

ఉపయోగాలు, ప్రత్యామ్నాయాలు, మరియు నష్టాలు గురించి నాకు అర్థమైన భాషలో వివరించారు.

సహాయకుడు(అటెండెంట్)

సంతకము

పేరు

వైద్యుడు (ఎవరైతే సమ్మతి తీసుకుంటున్నారో)

సంతకము

పేరు

సాక్షి

సంతకము

పేరు

తేదీ మరియు సమయము

ADMISSION SHEET



Registration Details :

Admission No : IP26-00006713 Admit Date : 02-Jul-2026 Admit Time : 09:13 AM UHID : HNH-00016299

Patient Details :

Patient Name	: Baby Of PRAVA SAI SREE RAVI SUSMITHA	Age	: 0 D
Guardian	: Mr SRIVASTHAVA	DOB	: 02-07-2026 08:28 AM
Gender	: Male	Religion	:
Occupation	:	Martial Status	:
Address (H)	: FLAT NO-201, PLOT NO-81 NEW HAFEEZPET,, MARTHANADA NAGAR Kondapur Hyderabad Telangana INDIA	Phone No	: 9014112216/ 7416536082
		E-mail	: susmithaprava10@gmail.com

Admission Details :

Bed Type : BASINET Bed No : CRDL-HNPDA-415-1 Ward Name : 4F -OT
Room No : CRDL-HNPDA-415-1 Admission Type : First Visit

Contact Details :

Name : Mr SRIVASTHAVA Relationship : Father
Contact Address : FLAT NO-201, PLOT NO-81 NEW
HAFEEZPET,,MARTHANADA NAGAR Kondapur
Hyderabad Telangana INDIA Phone No : 9014112216


Signature

Doctor Details :

Doctor Name : Dr. SINDHURA MUNUKUNTLA Specialisation : GENERAL PEDIATRICS
Referral Doctor : SELF Phone No :
Co-Consultant :

Payment Details :

Deposit Amount : 15000.00
Payment Mode : DC/CC Card Payor Name : SELFPAY



BirthRight
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

New Born Screening	: WILL <i>✓</i>
TFT	: <i>✓</i>
OAE	: <i>✓</i>
Mother's Blood Group	: <i>AB+ve</i>
Baby's Blood Group	: <i>AB+</i>
Anomaly Scan	: <i>BCG</i>
Vaccination	: <i>OPV 2</i>

Date	Time	Investigation	Result	Order No.	Signature	
2/7/26		Blood group		10723	Ad	
7/7/26		AB4		10793	Auth	
					Cross checked	
4/7/26		SBR	}	10914	2	
		NBS				Bv
		BAL			0635	X
Cross checked done by Supriya 12:25 pm @ 4/7/26						

HNH-00016299 IP26-00006713
 Baby Of PRAVA SAI SREE RAVI
 02-07-2026 0 Y 0 M 0 D 4 H (M)
 Dr. SINDHURA MUNUKUNTALA



NEONATAL IN-PATIENT MEDICAL RECORD

ADMISSION INFORMATION

Mother's Name : Prava Sai Sree Ravi Age : Father's Name : Age :
 Date of Birth : Date of Admission : UHID No. :
 NICU Consultant : Referring Consultant :
 Transferring Unit : ☐ OT ☐ Labour Room ☐ ER ☐ Ward
 Transported ? ☐ Yes ☐ No - If yes : ☐ Long (> 30 kms) ☐ Short (< 30 kms)

BIRTH INFORMATION

Name : B/B Prava Sai Sree Ravi Sushritha Mother's Blood Group : AB Positive
 Gender : ☒ M ☐ F Blood Group : Birth Weight (gms) : 3.14.0 kg Length (cms) : 47 cm
 Date of Birth : 21/7/2026 Time of Birth : 8:28 AM OFC (cms) : 7.0 cm 34 cm -
 Place of Birth : RCH - HH Estimated Gesth Age : 38 + 0 wks

Current Obstetric History : (Booked / Unbooked Case)

Maternal Age : Ht : Wt : BMI : Married Life : LMP : 9/10/25 EDD : 14/7/26

Conception (Spontaneous or with Rx) :

Booked at what GA : 22 + 4 wks AN Steroids Drugs / Doses :

Last Scans Details : 27/6/26 -> 37 + 2 wks / SLVF / AFI - 14 cm / WT - 2.8 kg / Doppler - (N)

TT Immunization and Iron / Folic Acid :

MATERNAL RISK FACTORS

Age : ☐ < 18 yrs ☐ > 35yrs FTS - LR
TIFFA - (N)

Consanguinity : ☐ Yes ☐ No

If yes, degree of consanguinity : ☐ 1 ☐ 2 ☐ 3

H/o PIH (after 20 weeks) / PE

How many Drugs / Doses / Since how long :

H/o value of recent BP recording, proteinuria, edema,
 oliguria, any investigations (LFT, platelet count) :

IUGR - when detected :

Doppler (Increased Resistance / ADEF / REDF /

Redistribution in MCA) / Ductus Venosus :

AFI :

H/o GDM/ pre GDM/ on diet or insulin

Controlled or not, recent values, HbA1 values :

Compliance with Rx :

Scans : LGA, TIFFA, Fetal Echo :

H/o Hypothyroidism : when diagnosed ? Medication?

Any other Chronic Medical Problems, when detected

drugs ?

(Anemia, SLE, Jaundice, CHD, Heart Disease)

Infection : H/O, Fever

(☐ Malaria ☐ UTI ☐ TORCH ☐ TB ☐ HIV ☐ HBV)

UTI : when : Any culture :

PPROM : Duration : ☐ Uterine Tenderness ☐ Foul Smelling Liquor ☐ HVS (if taken) - Results :

Medication during Pregnancy : Duration :

PAST OBSTETRIC HISTORY

G :2..... P :1..... A : L :1.....

Sl. No.	Age	GA wks	B. W	Gender	Significant	Details
1	2622	FT	3kg	Boy	LSCS - MSL	
2	Present Preg					

PERINATAL HISTORY

Treating Obstetrician :Dr. Padmaja..... Hospital : ☐ Inborn ☐ Outborn

Duration of Labour

First stage (> 18 hours sig)

Second stage (> 2 hours after dilation)

LSCS : ☒ Elective ☐ Emergency Indication :

Specify the reason :

Augmentation of Labour : ☐ Induced ☐ Assisted VaginalCTG : ☐ Normal ☐ Suspicious ☐ Pathological

MSL :

Resuscitation : ☐ Yes ☐ No

Cord ABG :

Placenta : (weight, surface, No. of cotyledons, calcifications, malformations, clots etc :

NEONATAL RESCUSTITION DETAILS

APGAR SCORE

Gestational Age : Weeks :

SIGN	0	1	2
COLOUR	Blue or Pale	Acrocyanotic	Completely Pink
HEART RATE	Absent	< 100 Minutes	> Minutes
REFLEX IRRITABILITY	No Response	Grimace	Cry or Active Withdrawal
MUSCLE TONE	Limp	Some Flexion	Active Motion
RESPIRATION	Absent	Weak Cry; Hypoventilation	Good, Crying

TOTAL

1 Minute	5 Minutes	10 Minutes
8/10	9/10	

Resuscitation			
Minutes	1	5	10
Oxygen			
PPV / NCPAP			
ETT			
Chest Compressions			
Epinephrine			

Comments :

POSTNATAL / HISTORY OF PRESENT ILLNESS

Chief Complaints :

History of Present Illness:

Equipment check done
↓
Bay baby delivered by E.L.E.
↓
C/AB
↓
DCE done $\swarrow$ 2A
 1V
↓
Dij VA - K gr
↓
Baby Vigorous

Investigation details in previous Hospital :

Feeding History :

Past History :

Family History :

Socio Economic History :

GENERAL EXAMINATION ON ADMISSION

General Disposition :

Baby Pink
Vigorous

VITALS : Temperature : 36.5°C HR : RR : NIBP : CFT :

Color of the extremities : Acrocyanosis

Jaundice : Pallor : SpO2 :

Anthropometry : Birth Weight : 3.14 kg Length : HC : Present Weight :

Ponderal Index : AGA : SGA : LGA :

HEAD TO TOE EXAMINATION

HEAD : Fontanelles :
Sutures *AF - 0m*
Shape / Moulding :
Edema / Bruising :
Size - (H.C.) :

Facies :
(Any Facial
Dysmorphism)

**NECK and
CLAVICLES :** Range of Motion :
Asymmetry : *NA*
Masses :

EYES : Symmetry : *To check*
Red Reflex :
Discharge :

**EARS, NOSE
MOUTH and
THROAT :** Ear set / Shape :
Periauricular Pits / Tags : *no cleft palate*
Nasal shape / Patency :
Palate :
Gums : *NA*
Lips :
Tongue :

**THORAX and
BREASTS :** Shape of Thorax : *NA*
Position of Nipples and Number :

**ABDOMEN and
UMBILICUS :** Shape : *Soft*
Organomegaly :
Bowel Sounds : *2 A + 1 V*
Umbilical Stump :
Discharge :

GENITALIA : Labia / Hymen : *B/L Teste descends*
Testicles/penis :
Anus :

HERNIAL ORIFICES

TRUNK and SPINE : *NA*

SKIN LESIONS :

EXTREMITIES : Fingers / Toes : *NA*
Arms / Legs :
Deformities :
Mobility :
Hip Joint Examination :

SYSTEMIC EXAMINATION

Respiratory System :

Breathing Pattern : ☐ Regular ☐ Periodic ☐ Shallow ☐ Gasping

Mention If baby has Respiratory distress : RR : SCR / ICR / See - Saw breathing :

Scoring of respiratory distress if present (Silverman or Downe's) :

Mention if baby is on : ☐ Hood box ☐ CPAP ☐ Ventilator

Settings :

Spo2 : 97% Auscultation : B/LAE Breath Sounds : Added Sounds :

Cardiovascular System :

HR : 168/min BP : Precordial Activity :

Femoral Pulses : felt Murmurs :

Other Peripheral Pulses : Signs of Cardiac Failure :

Abdomen :

Shape : oval Hernia orifice :

Palpation : soft Anal Patency :

Palpable masses : Umbilical Cord :

Abdominal girth : First urine passed :

Meconium passed :

Nervous System : Higher intellectual functions (Sensorium) : S/T good

State of wakefulness : 2/3 good

Prechtle Score :

Nerves :

..... 2

.....

.....

Motor System :

Passive Tone : +

Active Tone : +

Neonatal Reflexes :

Grasp : ☐ Palmar ☐ Plantar ☐ Sucking ☐ Rooting ☐ Crossed adductor :

Moro's : DTR :

ATNR : Skull and Spine :

Any Congenital Anomalies :

Diagnosis :


G2 P.L.1 / FT / 38 wk / EL-LSCS / CIAB / 3.14 kg / ASA / Boy
(Thin MSL)

FOOT PRINTS

Left Side :



Right Side :



Resident Doctor :

Signature :

Name :

Date & Time :

PRANAV

2/7/26 at 8:40 AM

Consultant :

Signature :

Name :

Date & Time :

 Dr. Sindhura Munukuntla
 Consultant Pediatrician
 Reg. No. 66970

2/7/26 at 10 AM

PLEASE FILL UP THE FOLLOWING DETAILS

1. Name of the referring Doctor :
2. Name of the referring Hospital :
Address :
Contact Numbers :
3. Contact Details of the referring Doctor :
Mobile No. : E-mail ID :
4. Name of the Doctor in Rainbow Team :
..... on whose name the patient is being referred.



AT THE TIME OF TRANSFER TO THE WARD

Final Diagnosis :

Present Issues :

Vital : ☐ HR : ☐ RR : ☐ BP : ☐ SP02 : Weight :

Any Oxygen requirement :

Systemic :

Medications :

Plan

- 1) ~~Ward~~ Care
- 2) DBF x/b burping Q 2 h
- 3) Vaccination today (BCG, OPV, Hep B)
- 4) B/S/T

Plan during ward follow up :

- 5) SBR, NBS, OAE @ 48 H & 2
- 6) Monitor Vitals
- 7) To check red reflex & 4 hrd Sp. G.

Feeding Plan at the time of shifting :

Screenings done during NICU Stay :

NSG :

Hearing Screen :

ROP :

TFT :

NP2 :

feeding trial
8:50 to 9:00 AM

Date & Time	Progress Notes	Doctor's Order
2/26 11AM	c/s/by Dr. Sindhu M. Ten / AGA / 3.4kg / ♂ / CHAB. Baby Euthic, pink c/t/A Good (C/S) Site (+) no mm Head to be (N) Ble Red reflex - Present	Plan - warm care - DBF Qly f/b buph. - check & limb sp. - vaccination - sample c u/HOL - inform sos
		<i>[Signature]</i> Dr. Sindhu Munukunda Consultant Pediatrician Reg. No: 66970 <i>[Signature]</i>


Date & Time	Progress Notes	Doctor's Order
2/2/22	S/B Dr. Sindhura Term 1 AGA / M / CTAB	
	Baby Githanvi	Plg
	CVS - S. Si @ RS - B. A. C. F. @	- DBF + Buping 24h
	PLA 50h CTAB 50h	- Warm care - Vaccination
	Unic } Passed Stool } Passed	4. Continued monitoring (B. L. / O. P. V. - 2 doz Hep-B)
	Dr. Sindhura Munukuntla Consultant Pediatrician Reg. No: 66970	Handwritten signature



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
3/7/26 10 am	Dr. Sindhura Ch/B Dr. Pravin term/BYA/male	
	(4/1) wt loss	
	- feeds ✓	medial 1/3 (L) eye exams
	- urine ✓	<u>scanty</u>
	- stools ✓	
	OLE enternie	Plan
	Y/T/A: good	1) known case
	BF: flat	2) DRE every mth
	meas (+)	3) vaccination today
	SK:	4) SBR
	ms: S1 S2 (+)	NBS } 248402
	no mums	OAE } on 4/7 at 9am
	es: BSE (+)	5) Check 4 hour
	d	salivation
	B/L Red Reflex (+)	
		H. Sindhura
		Dr. Sindhura
		NB Supriya
		10:20 AM @
		3/7/26

Dr. Sindhura Munukuntla
Consultant Pediatrician
Reg. No. 66979



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
	<u>Lactation care plan</u>	
3/7/26 11:46 AM		
	-	
	- Colostrum seen	
	- suck & latch observed, baby sucking with strong stimulation	
	- Term,	
	<u>Advice</u>	
	- Direct breast feeding	
	- Aim for deep latch as demonstrated in cross cradle hold.	
	- make baby suck for 15-20 mins on each side.	
	- Stimulate baby continuously	
	- Demand feeding not exceeding 2 1/2 hours as per early hunger cues	
	- To start galactagogue foods with 8-8 lit liquid diet.	
	- Explain position & Burping in detail.	
3/7/26	BIG opr Hep-B } given	Sathwik G Midwife & Lactation 3/7/26

Date & Time	Progress Notes	Doctor's Order
	05/16 - D. Sindhu	
03/07/26 6 PM	Accepting food passed urine / stool Any / Tonal Activity - good vitality stable S/G - NAE	Adm ✓ - D/SR / IS keeping ✓ - NIS cam cam ✓ Samples @ 9 AM T/17
	Supra R 3pm @ 3/7/26	Sindhura Munukuntla
		Dr. Sindhura Munukuntla Consultant Pediatrician Reg. No: 66970



HNH-00016299

IP26-00006713

Baby Of PRAVA SAL...

02-07-2026

0 Y 0 M 0 D 15 H (M)

Dr. SINDHURA MUNUKUNTLA



**Rainbow[®]
Children's
Hospital**
It takes a lot to treat the little.



BirthRight
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

Date & Time	Progress Notes	Doctor's Order
4/7 11:00 AM	CISIB Dr. Sindhura T/AGA/ male	
MBC BBG	Eutermic C/T IA - Good Vitals - Stable	Plan - Brace SBR NBS - DAE today - DBF 2nd hourly fb huping - FLUP on Monday - DIC today after SBR report
RIS PIA	NAID	
		Dr. Sindhura Munukunta Consultant Pediatrician Reg. No: 66970
		noted by Sr. Sandhya 4/7/26 11:00 AM


THE UNIVERSITY OF CHICAGO

[illegible]

HNH-00016299
 Baby Of PRAVA SAI SREE RAVI
 02-07-2026 0 Y 0 M 0 D 14 H (M)
 Dr. SINDHURA MUNUKUNTLA



IP26-00006713



Rainbow®
 Children's
 Hospital
 It takes a lot to treat the little.

BirthRight™
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery

RESULT SHEET

Date						
Time						
Hb						
PCV						
RBC						
WBC						
N/L						
Platelets						
CRP						
ESR						
PCT						
RBS						
Na						
K						
Cl						
Ca/Mg						
Phosphate						
Urea						
Creatinine						
ALP						
SGPT						
SGOT						
T.Bill/Conj						
T.Protein						
S.Albumin						
S.Globulin						
A/G Ratio						
Uric Acid						
S.Amylase						
Sr.Lipase						
Blood Lactate						
S.Cholesterol						
PT/INR						
APTT						
CSF Protein / Sugar						
Cells						
N/L						

[illegible]

Culture and Sensitivities :

Radiology : USG :

X-Ray :

ECHO :

CT :

MRI

Others (ECG, Contrast Studies etc.) :

HNH-00016299 IP26-00006713

Baby Of PRAVA SAI SREE RAVI

02-07-2026 0 Y 0 M 0 D 4 H (M)

Dr. SINDHURA MUNUKUNTLA



: RCH / FRM / CLINICAL / 124

INFANT (<1 year)

Children's Observation &
Early Warning Scoring Chart

Rainbow®
Children's
Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery


EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 2/7/26 Time: 9 AM 12 PM 1 PM 6 PM 10 PM 2 AM 6 AM

Doctor/Nurse/Family Concern?

Temperature
(°F)

104
103
102
101
100
99
98
97
96
95
94




Heart Rate
(bpm)

and

Blood Pressure
(mmHg) *

190
180
170
160
150
140
130
120
110
100
90
80
70
60
50



Note:


BP does not score
in early
warning scoring

Heart Rate (Number)

139 140bpm 138bpm 140bpm 140bpm

Resp. Rate (bpm)
(Over 1 Minute) *

70
60
50
40
30
20
10



Resp Rate (Number)

40 38bpm 40bpm 42bpm

Resp Mod/ Severe
Distress None / Mild

Receiving O₂(l/min)
O₂Saturations (%)

100 100% 100% 99%

Conscious Level
Normal Altered

GCS *

TOTAL SCORE

Number of shaded boxes

Pain Score

Observer's Initials

0 0 0 0 0 0 0

ACTIONS

NB: Scores 3 should be
recorded overleaf

- Score 1 : Continue normal observation by staff nurse
- Score 2 : Shift in charge nurse to be informed and continue hourly observations
- Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.
- Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see
- Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.



I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION : I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND : Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT : I think the problem is (XXX) and I have ...(e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION : I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)



INFANT (<1 year)
**Children's Observation &
 Early Warning Scoring Chart**

DAILY WARNING SCORE: CHILDREN'S UNIT

Date: 3/7/26 Time: 10 2 6 10PM 2AM 6AM
 Doctor/Nurse/Family Concern? Am PM PM PM PM PM



Heart Rate (Number) 143b/m 140b/m 140b/m 141b/m 140b/m 141b/m

Resp. Rate (bpm) (Over 1 Minute) *

Time	Resp. Rate (bpm)
10 AM	40
2 PM	40
6 PM	40
10 PM	40
2 AM	40
6 AM	40

Resp Mod/ Severe Distress None / Mild

Receiving O₂ (l/min) O₂ Saturations (%) 99% 100% 100% 100% 99% 99%

Conscious Level Normal Altered

GCS * 15/15 15/15 15/15 15/15 15/15 15/15

TOTAL SCORE

Number of shaded boxes 0 0 0 0 0 0

Pain Score 0 0 0 0 0 0

Observer's Initials S S S S S S

ACTIONS

Score 1 : Continue normal observation by staff nurse

Score 2 : Shift in charge nurse to be informed and continue hourly observations

Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.

Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see

Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN’S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child’s routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child’s clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION : I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND : Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT : I think the problem is (XXX) and I have ...(e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION : I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)



FLUID CHART

Sheet No. :


1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombo-phlebitis Score	Sign. Nurse
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine		
2/07/20	08:00 am											
	09:00 am	DBF										
	10:00 am											
	11:00 am											
	12:00 pm	DBF										
	01:00 pm											
Total Intake :						Total Output :						
2/07/20	02:00 pm	DBF										
	03:00 pm											
	04:00 pm	DBF										
	05:00 pm											
	06:00 pm	DBF										
	07:00 pm											
Total Intake :						Total Output :						
2/07	08:00 pm											
	09:00 pm	DBF										
	10:00 pm											
	11:00 pm	DBF										
	12:00 am											
	01:00 am											
Total Intake :						Total Output :						
2/7	02:00 am	DBF										
	03:00 am											
	04:00 am											
	05:00 am	DBF										
	06:00 am											
	07:00 am											
Total Intake :						Total Output :						

Total 24 hrs. Intake

Total 24 hrs. Output

NEONATAL PAIN AGITATION SEDATION SCORE (N-PASS)

Assessment Criteria	Sedation		Normal	Pain / Agitation		Date	Date	Date	Date	Date	Date	Date	Date
	-2	-1	0	1	2	Time	Time	Time	Time	Time	Time	Time	Time
						2/2	2/2	3/2	3/2	4/2			
						11:16	11:11	11:16	11:11	11:16			
	Procedure →												
Crying Irritability	No Cry with painful stimuli	Moans or cries minimally with painful stimuli	Appropriate crying Not irritable	Irritable or crying at intervals consolable	High-pitched or silent-continuous cry Inconsolable	0	0	0	0	0			
Behavior State	No arousal to any stimuli No spontaneous movement	Arouses minimally to stimuli Little spontaneous movement	Appropriate for gestational age	Restless, squirming Awakens frequently	Arching, kicking constantly awake or Arouses minimally / no movement (not sedated)	0	0	0	0	0			
Facial Expression	Mouth is lax No expression	Minimal expression with stimuli	Relaxed Appropriate	Any pain expression intermittent	Any pain expression continual	0	0	0	0	0			
Extremities Tone	No grasp reflex Flaccid tone	Weak grasp reflex decreased muscle tone	Relaxed hands and feet Normal Tone	Intermittent clenched toes, fists or finger splay Body is not tense	Continual clenched toes, fists, or finger splay Body is tense	0	0	0	0	0			
Vital Signs HR RR, BP, SaO₂	No variability with stimuli Hypoventilation or apnea	Less than 10% variability from baseline with stimuli	Within baseline or normal for gestational age	Increase 10-20% from baseline SaO ₂ 76-85% with stimulation - quick recovery	Increase greater than 20% from baseline, SaO ₂ less than or equal to 75% with stimulation - slow recovery Out of sync or fighting ventilator	0	0	0	0	0			
	Premature Pain Assessment: Scoring +3 if less than 28 weeks gestation age / Corrected Age +2 if 28 - 31 weeks gestation age / Corrected Age +1 if 32 - 35 weeks gestation age / Corrected Age Intervention Deep Sedation: Score = -10 to -5 Light Sedation: Score = -5 to -2 Pain Score less than or equal to 3 – No Intervention Pain Score greater than 3 – Intervention					Gestational Age / Corrected Age	34 wks	34 wks	37 wks	37 wks	37 wks		
	Total Pain / Agitation Score	-	-	-	-	-							
	Intervention	-	-	-	-	-							
	Effectiveness	-	-	-	-	-							
	Signature												

NPASS: Neonatal Pain, Agitation & Sedation Scale

	Sedation	Pain / Agitation
How to use	- Observe the infant for a minute before selecting a score for each behavior. - Stimulate the infant and observe and select a score for each behavior. - Select only one numeric value (Highest) per behavior.	- Observe the infant for a minute before selecting a score for each behavior. - Select only one numeric value per behavior.
Scoring/ Documentation	- Sedation scores are negative scores only - Add the scores from the 5 individual behavior areas to generate a total NPASS Sedation score. (Do not add points for correcting gestational age) - NPASS Sedation total score has a range from 0 to -10 possible. - Document total NPASS Sedation score in the medical record.	- Pain/Agitation scores are positive scores only - Determine if scoring needs to be adjusted based on the patient's gestational age. See Premature Pain Assessment criteria. - Add the scores from the 5 individual behavior areas and for corrected gestational age (if indicated) to generate a total NPASS Pain/Agitation score. - NPASS Pain/Agitation total score has a range from 0 to 13 possible. - Document the total NPASS Pain/Agitation score in the medical record
Interpretation	- Desired levels of sedation vary according to the situation. - Discuss and determine sedation goal with provider. "Deep sedation": goal score of -10 to -5 - Deep sedation is not recommended unless an infant is receiving ventilator support, related to the high potential for hypoventilation and apnea "Light sedation": goal score of -5 to -2 - Reassess patient per frequency in local sedation policy - A negative score without the administration of opioids/ sedatives may indicate: - The premature infant's response to prolonged or persistent pain/stress - Neurologic depression, sepsis, or other pathology	- Does not provide pain intensity rating. - Any score greater than 3 indicates the possibility of the presence of pain in the infant - Continue evaluation to determine individualized patient interventions (non-pharmacological and pharmacological). - Reassess patient per frequency of local pain policy. - If upon reassessment, the NPASS pain/agitation total score remains consistent or higher, consider pharmacologic intervention.



BRADEN 'Q' SCALE

					Date: 2/5/26	2/7	2/8	3/7
					Time: 11:16	11:15	11:18	11:15
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.	3	3	8	3
"Activity The degree of physical activity"	1. Bedfast: Confined to bed	2. Chairfast: Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.	8	3	5	4
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.	2	2	2	3
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.	2	2	2	4
FRICION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."	2	3	3	3
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings of meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.	2	3	3	4
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.	2	3	5	3
TOTAL SCORE					20	28	20	25
Evaluator's Name					A	4	5	2

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	• Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	• Use the Same Protocol as for "At Risk" Patients • Position patient at 30 degree lateral incline using foam wedges	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	• Follow the same protocol as for "Moderate Risk" Patients • In addition to regular turning schedule • Make small shifts in their position frequently	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	• Use same protocol as for "High Risk" Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors.	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay

BRADEN 'Q' SCALE

					Date :	3/7	17		
					Time :	10	16		
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.		9	2		
"Activity The degree of physical activity"	1. Bedfast : Confined to bed	2. Chairfast : Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.		3	2		
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.		3	4		
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.		3	4		
FRICTION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."		2	4		
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.		2	4		
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.		3	4		
					TOTAL SCORE	24	26		
					Evaluator's Name	W	CO		

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	• Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	• Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	• Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	• Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors.	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay

HNH-00016299 IP26-00006713
 Baby Of PRAVA SAI SREE RAVI
 02-07-2026 0 Y 0 M 0 D 4 H (M)
 Dr. SINDHURA MUNUKUNTLA



NURSING CARE RECORD



Date: 2/2/29

Goals

- ☒ Maintain Airway and Oxygenation
- ☒ Relieve Pain & Discomfort
- ☐ Maintain Fluid Balance
- ☐ Improve Activity Tolerance
- ☐ Maintain Good Nutritional Status
- ☐ Maintain Skin Integrity
- ☒ Maintain Personal Hygiene
- ☒ Prevent Infection
- ☒ Meet Elimination Needs
- ☒ Ensure Safety
- ☒ Early Ambulation Reduce Anxiety
- ☒ Patient & Family Education
- ☐ Identify Potential Complications
- ☐ Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8AM 1 2PM	→ ASSES the baby condition → Maintain blood chart & record → DBF and only & baby → provide warm covers the baby	8AM 1 2PM	→ Assessed the baby condition → maintained blood chart & record → DBF and only & baby → provided warm covers the baby	Baby is stable	maintain blood chart & record.	Akhi's
Afternoon				day			
Night	8pm to 8AM	→ Assess the baby condition → Maintain blood chart → Monitor vitals → DBF + only and only	8pm to 8AM	→ assessed the baby condition → monitored vitals & record → monitored blood chart → DBF and only	Baby is Good	Rechecked vitals	SW

HNH-00016299
Baby Of PRAVA SAI SREE RAVI
02-07-2026
Dr. SINDHURA MUNUKUNTALA
IP26-00006713
O Y O M O D 15 H (M)

NURSING CARE RECORD

Date: 3/7/26

Goals

- ☒ Maintain Airway and Oxygenation
- ☒ Relieve Pain & Discomfort
- ☒ Maintain Fluid Balance
- ☒ Improve Activity Tolerance
- ☒ Maintain Good Nutritional Status
- ☒ Maintain Skin Integrity
- ☒ Maintain Personal Hygiene
- ☒ Prevent Infection
- ☒ Meet Elimination Needs
- ☒ Ensure Safety
- ☒ Early Ambulation Reduce Anxiety
- ☒ Patient & Family Education
- ☒ Identify Potential Complications
- ☒ Any Others. Specify

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8Am to 2pm	=> Assess the patient condition. => Monitor vitals => plan for Biochart	8Am to 2pm	=> Assessed the patient condition => maintain vitals & Record => maintain Biochart	patient is stable	vitals is warm	Chand C
Afternoon		Day Duty					
Night	8pm to 8pm	=> Assess the Baby Condition. - monitor vitals & Biochart - DBT & H 2nd hourly give		=> Assessed the Baby Condition. - Monitored vitals & Biochart -> DBT & H 2nd hourly give	Baby is stable	Rechecked vit	J

HNH-00016299 IP26-00006713
 Baby Of PRAVA SAI SREE RAVI
 02-07-2026 0 Y 0 M 0 D 15 H (M)
 Dr. SINDHURA MUNUKUNTALA



NURSING CARE RECORD

Rainbow Children's Hospital
 It takes a lot to treat the little.

BirthRight
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery

Date: 7/7/26

Goals

- ☐ Maintain Airway and Oxygenation
- ☐ Relieve Pain & Discomfort
- ☐ Maintain Fluid Balance
- ☐ Improve Activity Tolerance
- ☐ Maintain Good Nutritional Status
- ☐ Maintain Skin Integrity
- ☐ Maintain Personal Hygiene
- ☐ Prevent Infection
- ☐ Meet Elimination Needs
- ☐ Ensure Safety
- ☐ Early Ambulation Reduce Anxiety
- ☐ Patient & Family Education
- ☐ Identify Potential Complications
- ☐ Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8Am	=> Assess the patient condition	8Am	=> Assessed the patient condition			
	10	=> maintain vitals as per order	10	=> maintain vitals as per order	patient is stable	vitals is normal	Chudh
	2pm	=> maintain vitals as per order	2pm	=> maintain vitals as per order			
Afternoon							
Night							

1H-00131902 IP26-00006661
 Mrs NIKHITA GUPTA
 7-08-1989 38 Y 10 M 20 D (F)
 Mr. SANTHI ANTHARVEDI



NURSING CARE RECORD

**Rainbow[®]
 Children's
 Hospital**
 It takes a lot to treat the little.

BirthRight[™]
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery

Date:

Goals

- | | | | | | |
|---|--|---|---|---|---|
| ☐ Maintain Airway and Oxygenation | ☐ Relieve Pain & Discomfort | ☐ Maintain Fluid Balance | ☐ Improve Activity Tolerance | ☐ Maintain Good Nutritional Status | ☐ Maintain Skin Integrity |
| ☐ Maintain Personal Hygiene | ☐ Prevent Infection | ☐ Meet Elimination Needs | ☐ Ensure Safety | ☐ Early Ambulation Reduce Anxiety | ☐ Patient & Family Education |
| ☐ Identify Potential Complications | | | | | |
| ☐ Any Others. Specify..... | | | | | |

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning							
Afternoon							
Night							

NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Department: COP Date of Admission: 2/7/26

SITUATION	Diagnosis:		Any Infection: ☐ Yes ☒ No ☐ Not Known				
	<u>New Born</u>		If Yes Specify:				
BACKGROUND	Area	Shift Time	<u>C6</u>	<u>3/7</u>	<u>3/7/26</u>	<u>3/7/26</u>	<u>4/7/26</u>
	Medical Condition (Any special condition to be noted):		<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
ASSESSMENT	Allergy:		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No
	Tubes/Drains/Catheter:		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No
	Vital Signs:	Temp:	<u>97.8</u>	<u>98.4</u>	<u>38.0</u>	<u>36.2</u>	<u>36.5</u>
		Res:	<u>30bmt</u>	<u>25bmt</u>	<u>40</u>	<u>40bmt</u>	<u>20bmt</u>
		SpO ₂ :	<u>99.1</u>	<u>99.1</u>	<u>99.1</u>	<u>99.1</u>	<u>99.1</u>
		Pulse:	<u>140bmt</u>	<u>136bmt</u>	<u>156</u>	<u>140bmt</u>	<u>156</u>
		BP:	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
	Fall Risk Score:	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	
Pain Score:	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>		
Recommendations	Safety Needs:	<u>(tc)</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	
	Physiotherapy	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	
	Others Specify:	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	
	Special Diet:	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☒ No	
	Other Special Orders / Medications:	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	
Post Operative Procedure Special Orders:		<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>	
Handed Over By Name :		<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	
Signature :		<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	
Date:		<u>2/7/26</u>	<u>2/7/26</u>	<u>3/7/26</u>	<u>4/7/26</u>	<u>4/7/26</u>	
Time:		<u>8pm</u>	<u>8AM</u>	<u>8pm</u>	<u>8AM</u>	<u>8AM</u>	
Taken Over By Name :		<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	
Signature :		<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	<u>AKK</u>	
Date:		<u>2/7/26</u>	<u>2/7/26</u>	<u>3/7/26</u>	<u>4/7/26</u>	<u>4/7/26</u>	
Time:		<u>8pm</u>	<u>8AM</u>	<u>8pm</u>	<u>8AM</u>	<u>8AM</u>	

NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Department: Date of Admission:

SITUATION	Diagnoses:	Any Infection: ☐ Yes ☐ No ☐ Not Known If Yes Specify:					
BACKGROUND	Area: Shift Time:						
	Medical Condition (Any special condition to be noted):						
ASSESSMENT	Allergy:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Tubes/Drains/Catheter:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Vital Signs:						
	Temp:						
	Res:						
	SpO ₂ :						
	Pulse:						
	BP:						
	Fall Risk Score:						
	Pain Score:						
Recommendations	Safety Needs:						
	Physiotherapy	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Others Specify:						
	Special Diet:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Other Special Orders / Medications:						
	Post Operative Procedure Special Orders:						
	Handed Over By Name :						
	Signature :						
	Date:						
	Time:						
	Taken Over By Name :						
	Signature :						
	Date:						
	Time:						

HNH-00016299 IP26-00006713
Baby Of PRAVA SAI SREE RAVI
02-07-2026 0 Y 0 M 0 D 4 H (M)
Dr. SINDHURA MUNUKUNTALA

Rainbow
Children's
Hospital
It takes a lot to treat the little.

BirthRight
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

NURSING DEPARTMENT NEWBORN - NURSING ASSESSMENT FORM

(Select and 'tick mark' [✓] the boxes as applicable)

Baby's Name: Sushmitha Mother's Name:

Date of Birth: 2/7/26 Time of Birth: 8:28 AM Gender: ☒ Male ☐ Female

Birth Weight: 3.11 Kgs HC: 28 cm Length: 49 cm

Meconium in Liquor: ☐ Yes ☒ No Cried at Birth: ☐ Yes ☒ No

Term / Pre-term / Post-term:

Resuscitated: ☐ Yes ☒ No Blood Group: Mother: Baby:

Feeding: ☒ Breast Feeding ☐ Formula ☐ Both First Feed Time:

AFFIX MOTHER'S
IDENTIFICATION LABEL

Mode of Delivery: ☐ Normal ☐ LSCS - Emergency/ Elective ☐ Instrumental ☐ AVD

Indication:

Physical Assessment of New Born:

Temp: 36 °C HR: 150 /Min RR: 55 /Min BP: SpO₂: 99%

Pain Score: 0 (Follow N Pass)

Fall Risk Assessment: ☐ Yes ☒ No Score: 0 (Fill the Humpty Dumpty Sheet)

Risk in Pressure Sore: ☐ Yes ☒ No (Braden Q Score) (Fill the Braden Q Sheet)

Behaviour Status on admission: ☒ Sleeping ☐ Crying ☐ Calm ☐ Drowsy

Findings:

General Appearance: Posture: ☒ Well-Flexed ☐ Asymmetry

Skin: ☒ Pink ☐ Meconium Stain ☐ Others, Specify:

Nursing Management: (Please strike through If not applicable e.g. Yes / ~~No~~)

Vitamin K 1 mg I.M Administered: Yes / No

Routine Care Provided: Yes / No

Capillary Blood Glucose Monitoring Done: Yes / No

Neonatal Screening Done: Yes / No

1. Nutritional Screening: Feeding Problem Yes / No

2. Functional Screening: Musculoskeletal Congenital Abnormality Yes / No

3. Socio History: Siblings Yes / No

All information obtained from ☒ Mother ☐ Father ☐ Other Family Member

Newborn Screening Discussed: Yes / No

Nurse Name: Akshita

Signature: Akshita

Date & Time: 2/7/26

PATIENT TRANSFER FORM

Patient Name & UHID No. HNH-00016299 IP26-00006713 Baby Of PRAVA SAI SREE RAVI 02-07-2026 0 Y 0 M 0 D 4 H (M) Dr. SINDHURA MUNUKUNTALA 		Date & Time of Admission <i>2/7/2026</i>	Date & Time of Transfer Order <i>2/7/2026 @ 12:00 PM</i>
		Transfer Ordered by <i>Dr. Sindhura</i>	Reason for Transfer <i>observation</i>
From Unit <i>pre & post</i>	To Unit	Information to Attendant Yes ☒ No ☐	
Number of Sheets in Clinical File <i>32</i>	Number of Imaging Films <i>ABG</i>	Personal belongings including clinical documents. If any handed over to attendant Yes ☐ No ☐ If yes, what ?	
Medications / Consumables / Surgicals / Hand over			
Sl.No.	Item Name	Quantity	
1.	<i>RL</i>	<i>500ml</i>	
2.			
3.			
4.			
5.			
Shifting Summary / Notes Written by Doctor : Yes ☐ No ☐			
Name & Signature of Person who is Transferring <i>Sindhura & [Signature]</i>		Name of Person Ordered Transfer <i>Dr. Sindhura</i>	
Patient & Clinical Records Received by : <i>12/50 PM Neeha 2/7/26</i>			
Date & Time of Patient Received : <i>12/50 PM 2/7/26</i>			

If the transfer order time & Completion time is more than 30 minutes, please tick the reason mentioned below :

☐ Unavailable Bed

☐ Nurse not Available

☐ Available Bed not ready

HNH-00016299 IP26-00006713
 Baby Of PRAVA SAI SREE RAVI
 02-07-2026 0 Y 0 M 0 D 4 H (M)
 Dr. SINDHURA MUNUKUNTLA

PA
 1



DATE: 2/7/26

NEWBORN ANOMOLY ASSESSMENT CHECKLIST

S.NO	ASSESSMENT PARAMETERS	CHECKED BY REGISTRAR	CHECKED BY CONSULTANT	REMARKS
1.	Palate	No cleft	No cleft lip/palate	
2	Pre natal teeth	No	No	
3	Anal opening	Patent	Patent	
4	Genitalia	R/L Testis descended	(N)	
5	Spine	(H)	(N)	
6	Red reflex	To check	B/L present	
7	4 limb saturation (before discharge)	Touch	Normal	

Pram
 Ped.Registrar signature

S. Indira
 Ped.Consultant signature

GENERAL CONSENT FOR TREATMENT

Patient Name: Baby Of PRAVA SAI SREE RAVI
SUSMITHA

Age : 0 Y 0 M 0 D 0 H

IP No: IP26-00006713

Sex: Male

Consultant: Dr. SINDHURA MUNUKUNTLA

Ward/Bed No: 4F -OT/CRDL-HNPDA-415-1

The undersigned patient and I or responsible relative or person hereby consent to and authorize Rainbow Hospitals doctors and medical personnel to perform medical examinations, conduct routine investigations and administer medical treatments, outpatient procedures, minor dressings, vaccinations and immunizations during the course of the patient's care, as in patient.

Patient, be deemed advisable or necessary.

I understand that the confidentiality of all medical records shall be protected to the full extent of the Law. The undersigned do consent to the use of health related information/ audiovisuals of the patient for research & training purpose or for insurance coverage and while doing so confidentiality of the patient will be maintained at all times and this will not affect the care of the patient.

In giving my general consent to treatment, I understand that I retain the right to refuse any particular examinations, test, procedure, treatment, therapy or medication recommended or deemed medically necessary by treating doctors. I also understand that the practice of medicine is not an exact science and that no guarantee have been made to me as the results of my evaluation and I or treatment.

I understand that I shall not bring valuables to the Hospitals and that the Hospital will not be responsible for the loss, destruction or theft of my personal belongings. I assume full responsibility for all my personal items and release the Hospital from responsibility and liability for such personal items and valuables.

"I am aware that during the patient care it is inevitable that certain re-useable equipment shall be re-used after sterilization and disinfection. I am informed that the hospital assures maximum level of precaution and care in sterilizing and disinfecting the equipment and monitors the whole process as per evidence based guidelines".

Note:

1 We do not allow use of medication brought from outside by the patient.

2 I have received attendant passes as per my room category. I understand that I have to return it back at the time of final bill clearance. In case of failing the submission, I will pay 200/- Rs.

(Receivers Signature:.....*D. Sivaiah*)

3 IP Guide book has been given to me and I have been explained about the Hospitals rules and policies.

4 Financial and billing counseling has been done to me.

Signature of Patient/Relative:

D. Sivaiah

Name: *D. Sivaiah*

Relationship: *Husband Father*

Date: *02/07/26*

Time: *9:13 am*

Witness Name:

Witness Signature:

P. Sivaiah

Patient Address:

FLAT NO-201, PLOT NO-81 NEW
HAFEEZPET, MARTHANADA NAGAR
Kondapur Hyderabad Telangana INDIA

HNH-00016299 IP26-00006713
Baby Of PRAVA SAI SREE RAVI
02-07-2026 0 Y 0 M 0 D 1 H (M)
Dr. SINDHURA MUNUKUNTLA



BILLING POLICY

- **Billing cycle:** - With effective from 1st January 2020, Our billing cycle to be start from 12 PM to 12 PM, Settlement post 12 PM, room rent will be charge for half day extra & post 6 pm, it will be charge for full day. Less than 24 hours stay will be considered as one day.
- As per the GOI guidelines, we can collect Rs 1,99,999/- only in cash mode, balance patient can pay through Card tpain the event of TPA/ Cashless denial or approval not received due to any reason then hospital tariff will be applicable and any discount or special rates given to TPA's / corporates won't be applicable.
- If the surgery / scans performed in Emergency hours (8pm - 7am), public holiday and on Sunday will be charged TPA processing charges Rs.720 for every TPA route cases.
- All charges vary as per Room category, except Pharmacy and consumables.
- We follows a "No Discounts Policy" kindly cooperate.
- No Duplicate/Second copy of OP OR IP bill is issued.
- ICU/Ward Charges DO NOT INCLUDE - Air Mattress, Monitor, Consultants/ Specialty Doctors Visit, Infusion/syringe pump, Ventilator/C pap, Oxygen, Investigations, Procedures, Consumables, Medicines or any other bedside equipment's/devices etc. (Detailed list can be taken from billing department).

Patient attendant can collect for Interim/provisional bill of the patient from the billing section on daily basis. Interim Bill shall be based on the acknowledged services in HIS. Final Bill of the patient may vary from the Interim bill based on actual update taken on the day of discharge. It is requested that patients/attendants inquire daily about the bill amount from billing section and pay the outstanding as on that day.

Patient bill outstanding should not be increase more than 10,000/-

You are requested to clear your outstanding amount on daily basis before 12 PM.

MODE OF PAYMENT & REFUNDS

- We accept payments by cash (up to Rs 1,99,999/- only), cards, online transfer and Demand Drafts.
- All refund more than Rs.2,000/- will be refund through NEFT in three Bank working days.

D. Sathya

Name & signature of Patient/Attendant

Iva

(Signature of Admission Desk executive)

NOTE: Self - attested Govt. ID proof is mandatory whosoever is signing the undertaking.

RAINBOW CHILDREN'S MEDICARE PRIVATE LIMITED

Registered Office: Road No.2, Banjara hills, Near Hotel Park Hyatt, Hyderabad - 500 034, T: +91 40 2233 4455.

Corporate Office: 8-2-19/1/A, Daulet Arcade, Karvy Line, Road No.11, Banjara Hills, Hyderabad - 500 034.

Branches : BANJARA HILLS - T: 2233 4455 | VIKRAMPURI - T: 4246 2200 | KONDAPUR - T: 4246 2400 | MADHAPUR
- T: 6464 2020 | KUKATPALLY - T: 4246 2300 | L B NAGAR - T: 7111 1333 | MARATHAHALLI, BENGALURU - T: +91 80
7111 2345 | BANNERGHATTA ROAD, BENGALURU - T: +91 80 2551 2345, HIMAYATNAGAR- T:- 40 48873000