

DISCHARGE AT REQUEST SUMMARY

Name	Baby Of P LAVANYA	UHID	HNH-00015496
Father/Guardian	Mr M. ANUROOP	Age/Gender	0 Y 0 M 3 D/ Female
Address	301, RUTHUDAMA VEMPATI VARSHA, NEAR MOTHER DIARY PARK, NEW NALLAKUNTA, Nallakunta, Hyderabad, Telangana, INDIA, 500044		
IP No	IP26-00006396	Admission Date	21-05-2026
Ref Doctor	SELF		
Discharge Date	22.05.2026		

Consultant:
Dr. SPANDANA PASUPULETI
MBBS, MRCPCH
30925

DIAGNOSIS	ICD CODE
NEONATAL HYPERBILIRUBINEMIA	

History: Baby Of P LAVANYA is a 0 Y 0 M 3 D old baby girl presented with history of yellowish discolouration of skin and eyes since 1day prior to admission. For the above complaints, she was investigated on OPD basis (Transcutaneous bilirubin was 16.7 mg/dl). In view of hyperbilirubinemia, she was admitted to Rainbow Children's Hospital, Himayatnagar for further management.

Name	Baby Of P LAVANYA	UHID	HNH-00015496
IP No	IP26-00006396	Admission Date	21-05-2026

Birth history: Baby Of P LAVANYA is a term (38 weeks + 2 days) baby girl, delivered to a primi mother by normal vaginal delivery on 19.05.2026 at 12:48 pm with birth weight of 2.68 kgs in Rainbow Children's Hospital, Himayatnagar Hyderabad. Baby cried immediately after birth. Apgar scores were 6/10 at 1 min, 8/10 at 5 min. Inj. Vitamin K 1mg IM was given after delivery. Delayed cord clamping done. Fetal presentation was Vertex.

Examination: She was euthermic, euvolemic & maintaining saturations at room air. Heart Rate- 142/min and Respiratory Rate - 50/min. Icterus was present. Chest was clear with normal heart sounds. Abdomen was soft without organomegaly. Cry, tone, activity and newborn reflexes were normal. There were no obvious external congenital anomalies.

Weight on admission : 2.6 kilo grams.
Weight at discharge : 2.60 kilo grams.

Investigations: Enclosed.

THYROID FUNCTION TEST

TRIIODOTHYRONINE (T3)	153. 4	73 - 288	ng/dL
THYROXINE (T4)	17.8 1	5.04 - 18.5	µg/dl
THYROID STIMULATING HORMONE (TSH)	8.90	0.7 - 15.2	µIU/m l

Name	Baby Of P LAVANYA	UHID	HNH-00015496
IP No	IP26-00006396	Admission Date	21-05-2026

Management: She was admitted in ward. Her transcutaneous bilirubin on admission (done on OP basis) was 16.7 mg/dl . She was started on double surface phototherapy. Baby was continued on demand breast feeds + measured feeds. Her last serum bilirubin on 3 days of life was 13.4 mg/dl with indirect fraction of 13.3 mg/dl.

Parents were counselled about the need of continuation of phototherapy . They were also counselled about the need for further hospital stay. How ever parents were unwilling for further management in the hospital and requested the child to be discharged. Hence child is being Discharged on Request.

TEOAE (Transient Evoked Otoacoustic Emissions): Hearing test: To be done on follow up.

New born screening advanced / Newborn screening-4: To be done on follow up.

At the time of discharge : Baby was active, afebrile, hemodynamically stable, maintaining temperature, accepting & tolerating feeds well.

Advice:

- Keep the baby clean & warm
- Exclusive breast feeding
- Continue direct breast feeds + measured feeds as advised.
- Monitor urine output.
- Immunization as per schedule
- Vitamin D3 Drops (1ml/800IU) 0.5ml once daily till further advice.
- Nasoclear Nasal drops 2 drops in each nostril SOS for nose block.

Plan:

Name	Baby Of P LAVANYA	UHID	HNH-00015496
IP No	IP26-00006396	Admission Date	21-05-2026

1. **Newborn screening advanced /Newborn screening-4 test report on followup.**
2. **TEOAE (Transient Evoked Otoacoustic Emissions): Hearing test: To be done on follow up.**
3. **Serum bilirubinto be done / decided on followup.**

Review consultation with Dr. SPANDANA PASUPULETI on Monday (25.05.2026) in OPD at Himayatnagar with prior appointment (**Review consultation will be charged**).

Review back to Hospital: If baby is not feeding continuously for > 6 hours, If breathing fast, Fever or poor activity or lethargy, Bluish discolouration of lips, Increase in jaundice, Abnormal movements occurs.

The content of the patient discharge summary, medication, food & drug interaction, care to be provided at home, nutrition, immunization and safe parenting, when and how to obtain emergency care etc also have been explained by doctor in a language that I can understand and I acknowledge.

Parent/ Attender

In case of emergency contact number 9154865030 emergency pediatrician on duty.

To take appointment for OPD consultation at Rainbow **Himayatnagar / Banjara Hills / Rainbow Clinic Madhapur / Kukatpally / Vikrampuri / LB Nagar** dial just one toll free number **18002122**.

Name	Baby Of P LAVANYA	UHID	HNH-00015496
IP No	IP26-00006396	Admission Date	21-05-2026

You can also take appointments at any time by going **online** to our website www.rainbowhospitals.in

Dr. SPANDANA PASUPULETI
MBBS, MRCPCH
30925

Registrar/Resident/C.M.O



ADMISSION SHEET

Registration Details :



Admission No : IP26-00006396 Admit Date : 21-May-2026 Admit Time : 04:03 PM UHID : HNH-00015496

Patient Details :

Patient Name : Baby Of P LAVANYA Age : 0 Y 0 M 2 D
Guardian : Mr M. ANUROOP DOB : 19-05-2026 12:48 PM
Gender : Female Religion :
Occupation : Martial Status :
Address (H) : 301, RUTHUDAMA VEMPATI VARSHA, NEAR MOTHER DIARY PARK, NEW NALLAKUNTA Nallakunta Hyderabad Telangana INDIA 500044 Phone No : 9880765533/ 9632262389
E-mail : CHAMIKYA.ANUROOP@GMAIL.COM

Admission Details :

Bed Type : DAY CARE Bed No : ER01 Ward Name : GF -EMERGENCY
Room No : ER01 Admission Type : First Visit

Contact Details :

Name : Mr M. ANUROOP Relationship : Father
Contact Address : 301, RUTHUDAMA VEMPATI VARSHA, NEAR MOTHER DIARY PARK, NEW NALLAKUNTA Nallakunta Hyderabad Telangana INDIA 500044 Phone No : 9880765533

M. Anuroop
Signature

Doctor Details :

Doctor Name : Dr. SPANDANA PASUPULETI Specialisation : NEONATOLOGY
Referral Doctor : SELF Phone No :
Co-Consultant :

Payment Details :

Payment Mode : DC/CC Card Deposit Amount : 10000.00
Payor Name : VOLO HEALTH INSURANCE TPA PVT LTD

Ref.No. F/IN/PR/10



**Rainbow[®]
Children's
Hospital**

**PEDIATRIC IN-PATIENT
MEDICAL RECORD**

HNH-00015496 IP26-00006396
Baby Of P LAVANYA
18-05-2026 0 Y 0 M 2 D (F)
Dr. SPANDANA PASUPULETI



Patient Name : _____

Patient ID# : _____

Consultant : _____

Final Diagnosis : _____



Pediatric Multiorgan History & Physical Examination

Name : _____ Age/sex _____

Informant Mother Reliability good.

Chief Presenting Complaints & Duration (Chronologically):

- yellowish discoloration of eyes & skin : 1 day

History of present illness :

m Bly → O⊕ve

Baby blood group → O⊕ve

- yellowish discoloration of eyes & skin : 1 day

- TCB - head : 16.7
chest : 16.1

- accepting mother feeds well ✓ [DBF]
- passing urine & stools adequately.

- T.wt : 2.60 kg / B.wt : 2.68 kg.
wt loss : 3%.

Pediatric Multiorgan History & Physical Examination



Anthropometry

Head Circum (cms) _____ (Centile _____) Height (cm) : _____ (Centile _____)

Weight (kgs) 2.6 kg (Centile _____)

On Examination :

Temperature : 98.1 F Pulse Rate: 142 bpm Description _____

B.P. _____ SPO2 98% cka at _____

Resp. rate and type of breathing : _____
50 bpm

Rash _____

Lymphadenopathy _____

Oedema : _____

Respiratory system :

RPE (+)
clear

Inspection (any s/o distress) : _____

Air entry & breath sounds : _____ CT/A: good

Any addes sounds.: _____

Relevant data from outside (Chest X-Ray, ABG, etc.,) _____

Cardiovasclular System :

S1S2 (+)

Inspection of procordium : _____

Heart Sounds : _____

Any murmur : _____

Relevant date from outside (Chest X-Ray, ECG, ECHO, Etc.,) _____

Per Abdomen :

- soft
- no distension

Inspection _____

Palpation : _____

Ausculation : _____

Spine: _____ External Genitelia : _____

Relevant data from outside (CT, USG etc.,) _____



Pediatric Multiorgan History & Physical Examination

Central Nervous System :

Level of Consciousness : AVPU/GCS Score : _____

Cranial Nerves : _____

Motor System :

Nutrition : _____

Tone : _____ Power N

Co-ordinator : _____

Posture : neuro +

Involuntary Movements : _____

Reflexes :

DTR

Superficials :

Plantars _____

Sensory System :

Bladder / Bowel : _____

Clinical Summary & Diagnostic :

neonatal hyperbilirubinemia

Pediatric Multiorgan History & Physical Examination

MNH-00015496 IP26-00006396
Baby Of P LAVANYA
19-05-2026 0 Y 0 M 2 D (F)
Dr. SPANDANA PASUPULETI

Preventive aspects of the treatment :

Desired goals of the treatment :

Planned Labs :

Planned Management :

1) NBS } Tomorrow
2) SBR } morning
22/5/26 @ 6am

1) DSPT
2) warm care
3) DBF every 2nd h
Hb keeping
4) monitor vitals.

Please fill up the following details

1. Name of the Referring Doctor : _____
2. Name of the Referring Hospital : _____
(Including the name of City)
3. Contact number of the Referring Doctor : _____
(Preferring Mobile #)
4. Name of the doctor in Rainbow Team _____ on
whose name the patient is being referred

Doctor's Signature Name _____ Date _____ Time _____

HNH-00015496 IP26-00006396
Baby Of P LAVANYA
19-05-2026 0 Y 0 M 2 D (F)
Dr. SPANDANA PASUPULETI

LING

Name: _____



UHID No : _____ IP No : _____ Consultant : _____ Dept : pediatric

Date of Admission : 21/5/26 Time : _____ Date of Discharge : _____ Time: _____

Room / Bed No : _____ Ward : _____ Suggested Billable bed type : _____

WARD TRANSFERS

Date	Time	From	To	Signature of Nurse
<u>21/5/26</u>	<u>4:30pm</u>	<u>ER</u>	<u>2nd floor (2M)</u>	<u>Bhargava</u>

Cross Consultation Visit

	Doctors Name	Date	Order No.	Signature
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

DRUG CHART

Date of Admission: 21/5/26 Drug Allergies: None Not known any Drug Allergies

FOR THE SAFETY OF THE PATIENT

- GENERAL** - Ensure that all patient details are entered above. ONLY A DOCTOR SHALL WRITE MEDICATION ORDERS.
- DOCTOR** - Please use only approved abbreviations (refer to Hospital's approved list of abbreviations).
 - Use approved pharmaceutical names, BLOCK LETTERS, metric dosage. English instructions.
 - Any changes in drug therapy must be ordered by a NEW PRESCRIPTION. Do not alter existing instructions.
 - Discontinue a drug by drawing a line **I** through it and a similar line through subsequent recording panels.
 - The date and time of stopping the drug along with the doctors name and sign must be mentioned.
 - Only one chart should be in use at any one time. When the chart is full, a new supplement can be kept within this drug sheet folder.
- NURSES** - Nurses must follow strictly the FIVE RIGHTS before administration of medication.
 1) Right Patient 2) Right Drug 3) Right Dosage 4) Right Route 5) Right Time
 - AVOID TAKING VERBAL ORDERS. NO VERBAL ORDERS FOR HIGH RISK/HIGH ALERT MEDICINES (EXCEPT FIRST DOSE OF EPINEPHRINE DURING CPR). Follow Hospitals's Verbal Order Policy.

SOS / PRN (As Required Medication)

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			

Signature
VERIFIED BY: Name



REGULAR PRESCRIPTIONS

Weight. 2.60kg Ward.

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Name & Signature of the Doctor Starting the Drugs:																			
Additional Instructions:																			
Daily Doctor's Endorsement by a Sign																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Name & Signature of the Doctor Starting the Drugs:																			
Additional Instructions:																			
Daily Doctor's Endorsement by a Sign																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Name & Signature of the Doctor Starting the Drugs:																			
Additional Instructions:																			
Daily Doctor's Endorsement by a Sign																			



DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Name & Signature of the Doctor Starting the Drugs:																			
Additional Instructions:																			
Daily Doctor's Endorsement by a Sign																			

PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
21/5 9pm	<u>CS/B Di Prasad</u>	
	T / NVD / ASA / 2.68 kg / Girl / N N M D	
		<u>Plan</u>
	Baby 2 DSP7 Enteral Crying } Tone } Good Activity }	1) DSP7 c eyes & genital exam 2) DBF j/k burping 2x 3) Warm care 4) SBR } T/m 6AM NBS }
	R-S - B/LAE ⊕ PLA - soft	5) Monitor vitals Infon SOS
	Accepting DBF Passed urine tested	<u>Prasad</u>

Patient Sticker

PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
22/5 10:30am	<u>CLSA R. Tejaswi</u>	
	<u>PT / NVD / ASA / Gnd / NNND</u>	
	SBR - 13.4	
	Baby ↓ DSPT on DBF	<u>Plan</u> 1) Hum care 2) DBF j/lb biopsy, Q, xH 3) Trace TF1 4) Monitor Vitals 5) Cf - DSPT c eye & genital coat
	C } T } Good A }	
	R-5 - B/LAE@ PLA - Soft	
	Dr. E TEJASWI REDDY Registration No: 94968	
22/5 1:30pm	<u>D/C At Request</u>	
	Parents have been advised about need to cont phototherapy but parent want to get baby discharge. Had seen baby is sent discharge at request	
		

214



Doc. No. : RCH / FRM / CLINICAL / 124

INFANT (<1 year)
Children's Observation & Early Warning Scoring Chart



EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 21/5/26 Time: 6:00 10 6
 Doctor/Nurse/Family Concern? PM AM



Resp Mod/ Severe Distress None / Mild
 Receiving O₂ (l/min) O₂ Saturations (%) 100% 100% 100%

Conscious Level Normal Altered
 GCS *

TOTAL SCORE
 Number of shaded boxes 0 0 0
 Pain Score 0 0 0
 Observer's Initials B R R

ACTIONS
 NB: Scores 3 should be recorded overleaf

- Score 1 : Continue normal observation by staff nurse
- Score 2 : Shift in charge nurse to be informed and continue hourly observations
- Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.
- Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see
- Score 5 & 6 : Shift incharge and PICU/NICU fellow or PICU/NICU consultant to be informed

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION: I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND: Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT: I think the problem is (XXX) and I have ...(e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION: I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)

HNH-00015496
 Baby Of P LAVANYA IP26-00006396
 18-05-2028 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI

INFANT (<1 year)
Children's Observation & Early Warning Scoring Chart




Patient Sticker

EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 22/5 Time: 10am 2pm

Doctor/Nurse/Family Concern?



Heart Rate (bpm)	190	
	180	
	170	
	160	
	150	
	140	
	130	
	120	
	110	
	100	
	90	
	80	
	70	
	60	
	50	

and

Blood Pressure (mmHg) *	140	
	130	
	120	
	110	
	100	
	90	
	80	
	70	
	60	
	50	

Note:
BP does not score in early warning scoring

Heart Rate (Number) 138b/m 135b/m

Resp. Rate (bpm) (Over 1 Minute) *	70	
	60	
	50	
	40	
	30	
	20	
	10	

Resp Rate (Number) 40b/m 38b/m

Resp Distress Mod/ Severe None / Mild

Receiving O₂ (l/min) O₂ Saturations (%) 0.1 0.1

Conscious Level Normal Altered

GCS *

TOTAL SCORE		
Number of shaded boxes	<u>0</u>	<u>0</u>
Pain Score	<u>0</u>	<u>0</u>
Observer's Initials	<u>K</u>	<u>P</u>

ACTIONS

Score 1 : Continue normal observation by staff nurse

Score 2 : Shift in charge nurse to be informed and continue hourly observations

Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.

Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see

Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

NB: Scores 3 should be recorded overleaf

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION: I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND: Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT: I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION: I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)

MNH-00015496 IP26-00006396
 Baby Of P LAVANYA
 19-05-2026 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI



Patient Sticker

FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombophlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
	08:00 am												
	09:00 am												
	10:00 am												
	11:00 am												
	12:00 pm												
	01:00 pm												
Total Intake :						Total Output :							
	02:00 pm												
	03:00 pm												
	04:00 pm												
	05:00 pm	DBM											
	06:00 pm												
	07:00 pm												
Total Intake :						Total Output :							
	08:00 pm	DBF+FF											
	09:00 pm												
	10:00 pm	B DBF+FF											
	11:00 pm	D											
	12:00 am	DBF+FF											
	01:00 am												
Total Intake :						Total Output :							
	02:00 am	DBF+FF											
	03:00 am												
	04:00 am	DBF+FF											
	05:00 am	O DBF+FF											
	06:00 am	DBF+FF											
	07:00 am												
Total Intake :						Total Output :							
Total 24 hrs. Intake						Total 24 hrs. Output							

HNH-00015496 IP26-00006396
 Baby Of P LAVANYA
 19-05-2026 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI



FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombophlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
22/5/26	08:00 am	1	DBF			/			/		/		
	09:00 am		FF							✓			
	10:00 am	0						NA			0		
	11:00 am	1	DBF			/			/		1		
	12:00 pm		FF							✓			
	01:00 pm												
Total Intake :						Total Output :							
	02:00 pm												
	03:00 pm												
	04:00 pm												
	05:00 pm												
	06:00 pm												
	07:00 pm												
Total Intake :						Total Output :							
	08:00 pm												
	09:00 pm												
	10:00 pm												
	11:00 pm												
	12:00 am												
	01:00 am												
Total Intake :						Total Output :							
	02:00 am												
	03:00 am												
	04:00 am												
	05:00 am												
	06:00 am												
	07:00 am												
Total Intake :						Total Output :							

Total 24 hrs. Intake

Total 24 hrs. Output

HNH-00015496
 Baby Of P LAVANYA
 19-05-2026
 Dr. SPANDANA PASUPULETI
 0 Y 0 M 2 D
 IP26-00006396
 (F)

Patient Stic



NURSING SHIFT HAND OVER FORM

SITUATION	Diagnosis:	Any Infection: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Known If Yes Specify:						
	Surgery / Procedure:	Post OP Day:						
BACKGROUND	Date	21/5/26	21/5/26	22/5/26	/	/	/	
	Shift	E2	Ni	M6	/	/	/	
	Medical Condition (Any special condition to be noted):	—	—	—	/	/	/	
Diet:	—	—	—	/	/	/		
ASSESSMENT	Allergy:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Ventilation (RA, NP, NIV, VENTI):	—						
	Tubes/Drains/Catheter:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Vital Signs:	Temp:	98.5 F	98.1 F	97.8 F	/	/	/
		Res:	40b/m	40b/m	40b/m	/	/	/
		SpO ₂ :	100%	100%	100%	/	/	/
		Pulse:	142b/m	140b/m	140b/m	/	/	/
		BP:	—	—	—	/	/	/
		LOC:	—	—	—	/	/	/
		Fall Risk Score:	—	—	—	/	/	/
Pain Score:	—	—	—	/	/	/		
Skin Integrity	—	—	—	/	/	/		
Recommendations	Safety Needs:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Physiotherapy:	—						
	Others Specify:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Special Diet:	—						
	Critical Lab Test / Values:	—						
	Other Special Orders / Medications:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	ADL (Dependent / Non Dependent):	Yes	Yes	—	/	/	/	
Post Operative Procedure Special Orders:	—							
Handed Over By Name :	Neha	Suhra	Priyanka	/	/	/		
Signature / ID :	[Signature]	[Signature]	[Signature]	/	/	/		
Date:	21/5/26	22/5/26	22/5/26	/	/	/		
Time:	8PM	8AM	2pm	/	/	/		
Taken Over By Name :	Suhra	Priyanka	/	/	/	/		
Signature / ID :	[Signature]	[Signature]	/	/	/	/		
Date:	21/5/26	22/5/26	/	/	/	/		
Time:	8PM	8AM	/	/	/	/		

Patient Sticker



NURSING SHIFT HAND OVER FORM

SITUATION	Diagnosis:	Any Infection: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Known If Yes Specify:						
	Surgery / Procedure:	Post OP Day:						
BACKGROUND	Date							
	Shift							
	Medical Condition (Any special condition to be noted):							
	Diet:							
ASSESSMENT	Allergy:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Ventilation (RA, NP, NIV, VENTI):							
	Tubes/Drains/Catheter:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Vital Signs:	Temp:						
		Res:						
		SpO ₂ :						
		Pulse:						
		BP:						
		LOC:						
		Fall Risk Score:						
Pain Score:								
Skin Integrity								
Recommendations	Safety Needs:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Physiotherapy:							
	Others Specify:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Special Diet:							
	Critical Lab Test / Values:							
	Other Special Orders / Medications:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	PU Prophylaxis:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	DVT Prophylaxis:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
ADL (Dependent / Non Dependent):								
Post Operative Procedure Special Orders:								
Handed Over By Name :								
Signature / ID :								
Date:								
Time:								
Taken Over By Name :								
Signature / ID :								
Date:								
Time:								

HNH-00015496 IP26-00006396
 Baby Of P LAVANYA
 19-05-2026 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI



BRADEN 'Q' SCALE



					Date :	21/5/24		
					Time :	62	116	
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.		4	4	
"Activity The degree of physical activity"	1. Bedfast : Confined to bed	2. Chairfast : Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.		4	4	
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation. OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.		3	4	
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.		4	4	
FRICION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."		4	4	
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of mean and dairy products. Occasionally eats between meals. Does not require supplementation.		4	4	
Tissue Perfusio n & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.		4	4	
TOTAL SCORE						27	28	
Evaluator's Name						(S)	R	

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	<ul style="list-style-type: none"> • Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	<ul style="list-style-type: none"> • Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	<ul style="list-style-type: none"> • Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	<ul style="list-style-type: none"> • Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors. 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay



NURSING CARE RECORD

Date:

Goals

- Maintain Airway and Oxygenation
- Relieve Pain & Discomfort
- Maintain Fluid Balance
- Improve Activity Tolerance
- Maintain Good Nutritional Status
- Maintain Skin Integrity
- Maintain Personal Hygiene
- Prevent Infection
- Meet Elimination Needs
- Ensure Safety
- Early Ambulation Reduce Anxiety
- Patient & Family Education
- Identify Potential Complications
- Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning							
Afternoon	4PM to 8PM	- Assess the pt condition - Monitor the vitals - Maintain I/O charts - DBM every 2nd hourly - CIT DSPT	4PM to 8PM	- Assess the pt condition - Monitor the vitals - Maintain I/O charts - DBM every 2nd hourly - CIT DSPT	- Patient is now stable	- Monitor the vitals	Meha
Night	8PM to 8AM	- Assess the pt. condition - monitor vitals. - Maintain I/O chart. - DBM every 2nd hourly. - CIT DSPT	8PM to 8AM	- assessed the pt. condition - monitored the vitals - Maintained I/O chart - DBM every 2nd hourly - CIT DSPT	- patient is stable now	- monitor the vitals	

HNH-00015496 IP26-00006396
 Baby Of P LAVANYA
 19-05-2026 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI

Patient Sticker



NURSING CARE RECORD



Date: 22/5/26

Goals

- Maintain Airway and Oxygenation
- Maintain Personal Hygiene
- Identify Potential Complications
- Relieve Pain & Discomfort
- Prevent Infection
- Any Others. Specify.....
- Maintain Fluid Balance
- Meet Elimination Needs
- Improve Activity Tolerance
- Ensure Safety
- Maintain Good Nutritional Status
- Early Ambulation Reduce Anxiety
- Maintain Skin Integrity
- Patient & Family Education


	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8am 2pm	Assess the baby condition - Monitor vitals & records - maintain I/O chart - DBF + off 2nd baby	8am 2pm	Assessed the baby condition - Monitored vitals & records - maintained I/O chart - DBF + off 2nd baby	Patient is stable now	Re-checked vitals	}
Afternoon							
Night							

ICB = head - 16.7 mgdl
 chest - 16.1 mgdl
 wt - 2.60kg



EMERGENCY ROOM TRIAGE FORM

Patient's Name : blo. lavanya Age : 3 days Gender: Male Female
 Date : 21/5/26 Time of Arrival : 3:50pm
 Allergies: No Yes Food Medications Blood Transfusion Other (Specify): Not known
 Source of Information : Parents Others (Specify) _____
 Mode of Arrival : Ambulatory Wheelchair Ambulance
 Initial Vital Signs: Temp: 97°F PR: 108b/m BP: _____ RR: 50bpm SpO₂: 97%
 Chief Complaints: clo. yellowish discoloration of the skin

INITIAL PHYSIOLOGICAL CATEGORIZATION		INITIAL PHYSIOLOGICAL STATUS
Appearance <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Sick Looking	 Circulation / Colour <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Abnormal <input type="checkbox"/> Bleeding	<input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable : <input type="checkbox"/> Not - Life - Threatening <input type="checkbox"/> Life -Threatening
	Work of Breathing <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Increased <input type="checkbox"/> Decreased <input type="checkbox"/> Gasping / Apnea	

Triage Classification	CTAS
<input type="checkbox"/> Level 1 : Resuscitation	<input type="checkbox"/> Immediate
<input type="checkbox"/> Level 2 : EMERGENT : Life or limb threatening	<input type="checkbox"/> < 15 min
<input type="checkbox"/> Level 3 : URGENT : Significant illness / injury with potential to become life or limb threatening	<input type="checkbox"/> 30 min
<input type="checkbox"/> Level 4 : LESS URGENT : Significant illness but not life threatening	<input checked="" type="checkbox"/> 60 min
<input type="checkbox"/> Level 5 : NON - URGENT : May receive care when convenient	<input type="checkbox"/> 120 min

NOTE : All immunocompromised children and preterm babies to be considered Level 2.
 All Children less than 2 years age with high fever to be considered Level 3.

Signature of Parent / Guardian _____

* CTAS - Canadian Triage and Acuity Scale

Triage Completion Time : _____

Communicable Disease Triage Screening

PART A. The following questions should be asked to all patients at the initial screening:

- Have you had fever (elevated temperature) in the past 2 weeks Yes No
- Have you had cough or a rash in the past 2 weeks Yes No
- Have you had shortness of breath or difficulty breathing in the past 2 weeks Yes No

PART B. For patients reporting fever and respiratory/rash symptoms: Not applicable

- Have you travelled outside the INDIA? or had close contact with someone who has recently travelled outside the INDIA, in the past two weeks? Yes No
 If yes, State Location: _____
- Are your parents / close contacts at home is/a healthcare worker? {please encircle the choices} (e.g., nurse, physician, ancillary services personnel, allied health services personnel, hospital volunteer, or laboratory worker, others) who has had a recent exposure to an individual with a highly communicable disease or unexplained, severe febrile respiratory or rash disease? Yes No

PART C. A positive communicable disease triage screening is considered for any patient who meets one of the two following criteria:

- Any patient with Fever / Rash / Vesicles / Discharge from Eyes and Cough
- Any patient with fever and respiratory symptoms who answered "YES" to any of the questions on epidemiologic risk factors in "PART B" of the triage screening above.

PART D. ACTION / INTERVENTION: (for positive suspected communicable disease triage screening)

- Patients should be immediately isolated in a negative pressure room or a single room (as appropriate) for pending evaluation.
- The patient should be given a surgical mask immediately, if not already wearing one.
- Both patient and triage staff should perform hand hygiene.
- The staff should use PPE (as appropriate).

Name of Triage Nurse : Shargani

Signature of Triage Nurse : (B)

Date & Time : 21/5/26 @ 3:52pm



NURSING INITIAL ASSESSMENT IN EMERGENCY ROOM

Date : 21/5/26 Time of arrival : 3:54pm

Chief Complaints : do. yellowish discoloration of the skin RBS:

Height : Weight : 2.60kg BMI : Head Circumference (<2 years)

Allergies: Yes No Medications Blood Transfusion Food Other:

If yes, identify

Pain Screening: Yes No If Yes, Pain Score: Pain Tool Used: N Pass FLACC Wong Baker

Character Location Frequency Duration

RISK FOR FALL:

If patient is < 6 years
tick below fall risk intervention directly

If Patient is > 6 years
Assess the below parameters

History of Falling: within past 3 months Yes No

Ambulatory Aids:

- Wheelchair Yes No
- Uses furniture for support Yes No

Gait/Transferring:

- Bedrest / immobile Yes No
- Weak Yes No
- Impaired Yes No

Mental Status: Forgets limitations Yes No

IF YES FOR ANY CATEGORY = RISK FOR FALLING

Fall Risk Intervention:

- Escort while ambulating
- Assist Patient
- Educate patient and family on fall precautions/prevention

Functional Screening: No Abnormalities Detected

- Mobility Problem
- Walking Problem
- Developmental Delay
- Musculoskeletal Congenital Abnormality

Inform consultant for positive criteria

Nutritional Screening: No Abnormalities Detected

- Underweight
- Overweight
- Feeding Problem
- Special diet
- Special feeding method

Inform consultant for positive criteria

Psychological Screening: No Significant Findings

Unusual concerns about patient's Psychological Status: Yes No

If Yes Consultant Notified: (Date/Time):

Social History: Lives With family

Siblings in household Yes No (if yes How Many?)

Time of Initial assessment completed by ER Nurse :

Nursing Notes (Including Labs / Medications / Other Care):

Time	Nursing Notes
3:56pm	ASSESS the pt Condition monitore the vitals

Samples collected by: /

Time: /

Samples sent by: /

Time: /

Medication given in ER:

Date / Time	Medication	Route	Dosage & Instructions	Doctor Sign	Nurse Sign 1

Condition of patient at time of shift - out :	Details of Shift - out
HR: 126 126 bpm BP: CFT: RR: 50 bpm SPO ₂ : 97% GCS: Temperature: 97°F Pain Score: Repeat RBS (if applicable):	Shift - out from ER to: 2nd floor (214) Time of Shift - out: 4:30pm Handover given to: [Signature] (Nurse's Name)

Tick as applicable: MLC LAMA BROUGHT DEAD

Procedures done with details (if any):

Name of the Nurse : Bhargavi Signature of the Nurse : [Signature]

Date & Time : 21/5/26 @ 3:58pm .

P HNH-00015496

IP26-00006396

FORM

Baby Of P LAVANYA

19-05-2026

0 Y 0 M 2 D

(F)

Dr. SPANDANA PASUPULETI



Date & Time of Admission 21/5/26 @ 4:13 pm		Date & Time of Transfer Order 21/5/26 @ 4:13 pm
Treating Consultant Name Dr. Spandana	Transfer Ordered by Dr. Ramu	Reason for Transfer ADMISSION
From Unit ER	To Unit 2nd floor (214)	Information to Attendant Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Number of Sheets in Clinical File 25-	Number of Imaging Films -	Personal belongings including clinical documents. If any handed over to attendant Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, what ?
Medications / Consumables / Surgicals / Hand over		
Sl.No.	Item Name	Quantity
1.		
2.		
3.		
4.		
5.		
Shifting Summary / Notes Written by Doctor : Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Name & Signature of Person who is Transferring Bhargavi		Name of Person Ordered Transfer Dr. Ramu
Patient & Clinical Records Received by : Maha		
Date & Time of Patient Received : 21/5/26 @ 4:30 pm		

If the transfer order time & Completion time is more than 30 minutes, please tick the reason mentioned below :

Unavailable Bed

Nurse not Available

Available Bed not ready

HNH-00015496
 Baby Of P LAVANYA IP26-00006396
 19-05-2026 0 Y 0 M 2 D (F)
 Dr. SPANDANA PASUPULETI



MEDICATION RECONCILIATION FORM

Drug Allergies: NPII Not known any Drug Allergies

Medication Reconciliation will be done at the time of admission and also whenever there is change in the treating team or shifting from one unit to another unit.

(Example: at the time of admission shifting from ICU to Ward, or Ward to ICUs)

Shifting From: ER Shifted to: 2nd floor (214)

S.No	MEDICATION NAME (GENERIC NAME CAPITAL LETTERS)	DOSE (mg, mcg)	ROUTE (PO, NG, SC, IV)	FREQUENCY	LAST DOSE Date / Time	ON ADMISSION / SHIFTING
1						<input type="checkbox"/> C <input type="checkbox"/> DC
2						<input type="checkbox"/> C <input type="checkbox"/> DC
3						<input type="checkbox"/> C <input type="checkbox"/> DC
4						<input type="checkbox"/> C <input type="checkbox"/> DC
5						<input type="checkbox"/> C <input type="checkbox"/> DC
6						<input type="checkbox"/> C <input type="checkbox"/> DC
7						<input type="checkbox"/> C <input type="checkbox"/> DC
8						<input type="checkbox"/> C <input type="checkbox"/> DC
9						<input type="checkbox"/> C <input type="checkbox"/> DC
10						<input type="checkbox"/> C <input type="checkbox"/> DC

* C- Continue, DC - Discontinue

MEDICATION HISTORY RECORDED / VERIFIED BY

Doctor Name & Signature : Dr. Tanvi

Date & Time : 21/5/26 @ 3:52 pm

Nurse Name & Signature: Bhargavi

Date & Time : 21/5/26 @ 3:55 pm

Docu. No. : RCH / FRM / GENERAL / 090