

Date of Birth	: 6/7/26	New Born Screening	:
Time of Birth	: 3:02 pm	TFT	:
Mode of Delivery	: SVD	OAE	:
Birth Weight	: 2.852 kg	Mother's Blood Group	: O+ve
Head Circumference	: 33 cm	Baby's Blood Group	:
Length	: 51 cm	Anomaly Scan	:
Red Reflex	:	Vaccination	: given 6/7/26 - DTwg (BCG, OPV, Hep B)

[illegible]

[illegible]

ADMISSION SHEET
Registration Details :

Admission No : IP5-00176044

Admit Date : 06-Jul-2026

Admit Time : 03:28 PM **UHID :** BAH-00660860

Patient Details :

Patient Name :	Baby Of SRIRAM SUSHMITA	Age :	0 D
Guardian :	Mr SETTY VENKATA SAI SUDHEER	DOB :	06-07-2026 03:02 PM
Gender :	Male	Religion :	
Occupation :		Martial Status :	Single
Address (H) :	PLOT NO - 32, AYYAPPA SOCIETY ,SRI SAI NAGAR , Madhapur Hyderabad Telangana INDIA 500081	Phone No :	8332952197/ 7893186527
		E-mail :	NOMAIL@GMAIL.COM

Admission Details :
Bed Type : BASINET

Bed No : CRDL-SW-418-1


Ward Name : 4F-BIRTHING CENTRE

Room No : CRDL-SW-418-1

Admission Type : First Visit

Contact Details :

Name :	Mr SETTY VENKATA SAI SUDHEER	Relationship :	Father
Contact Address :	PLOT NO - 32, AYYAPPA SOCIETY ,SRI SAI NAGAR , Madhapur Hyderabad Telangana INDIA 500081	Phone No :	8332952197 / 7893186527


Signature
Doctor Details :

Doctor Name :	Dr. ANNAPOORNA TADAVARTHY	Specialisation :	NEONATOLOGY
Referral Doctor :	Self	Phone No :	
Co-Consultant :			

Payment Details :
Payment Mode : Cash

Deposit Amount : 0.00

Payor Name : SELFPAY

Patient



HEAD TO TOE EXAMINATION

HEAD :

Fontanelles :

Sutures

Shape / Moulding :

Edema / Bruising :

Size - (H.C.) :

Caput fat

FACIES :

(Any Facial
Dysmorphism)

— N —

NECK and CLAVICLES :

Range of Motion :

Asymmetry :

Masses :

— N —

EYES :

Symmetry :

Red Reflex :

Discharge :

to be checked

EARS, NOSE MOUTH and THROAT :

Ear set / Shape :

Periauricular Pits / Tags :

Nasal shape / Patency :

Palate :

Gums :

Lips :

Tongue :

No cleft lip/palate

THORAX and BREASTS :

Shape of Thorax :

Position of Nipples and Number :

— N —

ABDOMEN and UMBILICUS :

Shape :

Organomegaly :

Bowel Sounds :

Umbilical Stump : 24 + IV

Discharge :

GENITALIA :

Labia / Hymen :

Testicles/penis :

Anus :

— N —

HERNIAL ORIFICES

TRUNK and SPINE :

SKIN LESIONS :

EXTREMITIES :

Fingers / Toes :

Deformities :

Hip Joint Examination :

Arms / Legs :

Mobility :

N



SYSTEMIC EXAMINATION

RESPIRATORY SYSTEM:

Breathing Pattern : ☒ Regular ☐ Periodic ☐ Shallow ☐ Gasping

Mention If baby has Respiratory distress: RR: 49/min SCR / ICR / See - Saw breathing :

Scoring of respiratory distress if present (Silverman or Downe's) :

Mention if baby is on : ☐ Hood box ☐ CPAP ☐ Ventilator

Settings :

SpO₂: 97+ Auscultation: BAE+ Breath Sounds: RVBS+ Added Sounds:

CARDIOVASCULAR SYSTEM:

HR : 129/min BP:

Femoral Pulses : Br well felt

Other Peripheral Pulses :

Precordial Activity :

Murmurs :

Signs of Cardiac Failure : N

ABDOMEN:

Shape :

Palpation :

Palpable masses : N

Abdominal girth :

Hernia orifice :

Anal Patency : looks patent

Umbilical Cord : 2A EW

First urine passed : ✓

Meconium passed : ✓

NERVOUS SYSTEM:

Higher intellectual functions (Sensorium) :

State of wakefulness :

Prechtle Score :

Nerves : N

MOTOR SYSTEM:

Passive Tone :

Active Tone :

Neonatal Reflexes :

Grasp : ☒ Palmar ☒ Plantar ☒ Sucking ☐ Rooting ☐ Crossed adductor :

Moro's : Br Symmetric DTR :

ATNR :

Skull and Spine : N



Diagnosis : 29f3 / ~~29f3~~ G2A1 / SVD / 2852 / CIAB
red VA resistance

FOOT PRINTS

Left Side :



Right Side :



Resident Doctor :

Signature :

Name : Dr. Anna Poorna

Date & Time : 6/7/26

Consultant :

Signature :

Name : Dr. P. S.

Date & Time : 6/7/26 8p

PLEASE FILL UP THE FOLLOWING DETAILS

1. Name of the referring Doctor :
2. Name of the referring Hospital :
Address :
Contact Numbers :
3. Contact Details of the referring Doctor :
Mobile No. : E-mail ID :
4. Name of the Doctor in Rainbow Team :
..... on whose name the patient is being referred.



AT THE TIME OF TRANSFER TO THE WARD

Final Diagnosis :

Neonatal condition at the time of Transfer:

Vital : HR : RR : BP : SPO2 : Weight :

Any Oxygen requirement :

Systemic :

Medications :

1. Send cord blood for blood grouping

2. Vaccines — OPV ✓
BCG ✓
Hep B ✓
today (given 6/7/26 Durgam)

Plan during ward follow up :

3. GBS/NBS/AGE — AHEAD

4. DBF/2nd hourly.

5. Warm Care

Feeding Plan at the time of shifting :

Screenings done during NICU Stay :

NSG :

Hearing Screen :

ROP :

TFT :

NP2 :

Doctor Signature (Handover Given): Doctor Signature (Handover Taken):

Doctor Name: Doctor Name:

Date & Time: Date & Time:

Patient



Past History :

Family History :

Socio Economic History :

GENERAL EXAMINATION ON ADMISSION

General Disposition :

Euthermic
clt/a : good

VITALS : Temperature : Euthermic HR : 129/min RR : 24/min NIBP : CFT : 23

Color of the extremities : Acrocyanotic

Jaundice : Pallor : SpO2 : 98

ANTHROPOMETRY: Birth Weight : 2852 Length : HC : Present Weight :

Ponderal Index : AGA : SGA : LGA :



h.

Equipment checked



Baby received in a prewarmed linen



Baby cried / dried / warmed



Cord clamped / clamped / cut



Wt. vitamin K 0.5ml 1m



Baby shifted to mother's side

Investigation details in previous Hospital :

Feeding History :



PAST OBSTETRIC HISTORY

G: 2 P: A: f L:

Sl. No.	Age	GA wks	B.W	Gender	Significant	Details
1	20 15	—	→		Biochemical pregnancy.	

PERINATAL HISTORY

Treating Obstetrician : Dr. Prathyusha Reddy Hospital : RCH : RCH ☒ Inborn ☐ Outborn

Duration of Labour

First stage (> 18 hours sig) SRD.

Second stage (> 2 hours after dilation)

LSCS : ☐ Elective ☐ Emergency Indication :

Specify the reason :

Augmentation of Labour : ☐ Induced ☐ Assisted Vaginal

CTG : ☐ Normal ☐ Suspicious ☐ Pathological

MSL :

Resuscitation : ☐ Yes ☐ No

Cord ABG :

Placenta : (weight, surface, No. of cotyledons, calcifications, malformations, clots etc :

NEONATAL RESCUSTITATION DETAILS

APGAR SCORE

Gestational Age : Weeks :

SIGN	0	1	2
COLOUR	Blue or Pale	Acrocyanotic	Completely Pink
HEART RATE	Absent	< 100 Minutes	> Minutes
REFLEX IRRITABILITY	No Response	Grimace	Cry or Active Withdrawal
MUSCLE TONE	Limp	Some Flexion	Active Motion
RESPIRATION	Absent	Weak Cry; Hypoventilation	Good, Crying

1 Minute	5 Minutes	10 Minutes
1	1	
2	2	
2	2	
2	2	
1	2	
8	9	

TOTAL

Snappee II Score

Score

Resuscitation			
Minutes	1	5	10
Oxygen			
PPV / NCPAP			
ETT			
Chest Compressions			
Epinephrine			

Mean BP (mmHg)	> 30 (0)	20-29 (9)	< 20 (19)		
Lowest Temp (oF)	> 96 (0)	96-95 (8)	< 95 (15)		
Pao2 / Fio2 (mmHg%)	> 2.49 (0)	1-2.49 (5)	0.3-0.99 (15)	< 0.3 (28)	
Lowest Serum PH	> 7.2 (0)	7.1-7.19 (7)	< 7.1 (16)		
Multiple Seizures	No (0)	Yes (19)			
U. Output (ml / kg / hr)	> 1 (0)	0.1-0.9 (5)	< 0.1 (18)		
Apgar Score	> 7 (0)	< 7 (18)			
Birth Weight	> 1kg (0)	750 - 999 (10)	< 750 (17)		
SGA	> 3rd percentile (0)	< 3rd (12)			
Total					

POSTNATAL / HISTORY OF PRESENT ILLNESS

Chief Complaints :



NEONATAL IN-PATIENT MEDICAL RECORD

ADMISSION INFORMATION

Mother's Name : Sofram Snehmithe Age : 26 Father's Name : Age :
Date of Birth : Date of Admission : UHID No. :
NICU Consultant : Referring Consultant :
Transferring Unit : ☐ OT ☐ Labour Room ☐ ER ☐ Ward
Transported ? ☐ Yes ☐ No - If yes : ☐ Long (> 30 kms) ☐ Short (< 30 kms)

BIRTH INFORMATION

Name : S/o Snehmithe Mother's Blood Group : o+
Gender : ☒ M ☐ F Blood Group :
Date of Birth : 8/7/26 Time of Birth : 3:02pm Birth Weight (gms) : 2852 Length (cms) :
Place of Birth : Dr. Anna OFC (cms) :
Estimated Gesth Age : 39+3

Current Obstetric History : (Booked / Unbooked Case)

Maternal Age : 26 Ht : Wt : BMI : Married Life : LMP : 24/9/25 EDD : 9/7/26

Conception : Spontaneous or with Rx :

Booked at what GA : AN Steroids Drugs / Doses :

Last Scans Details : 14/6/26 37 cephalic 2.7kg / 40cm / 9.2cm
VA: Red resistance TT Immunization and Iron / Folic Acid :

MATERNAL RISK FACTORS

Age : ☐ <18 yrs ☐ > 35yrs 4/0 maternal
Consanguinity : ☐ Yes ☐ No anemia
If yes, degree of consanguinity : ☐ 1 ☐ 2 ☐ 3 ↓
H/o PIH (after 20 weeks) / PE Received w Fcm
How many Drugs / Doses / Since how long :
H/o value of recent BP recording, proteinuria, edema,
oliguria, any investigations (LFT, platelet count) :
IUGR - when detected :
Doppler (Increased Resistance / ADEF / REDF /
Redistribution in MCA) / Ductus Venosus :
AFI :

H/o GDM/ pre GDM/ on diet or insulin
Controlled or not, recent values, HbA1 values :
Compliance with Rx :
Scans : LGA, TIFFA , Fetal Echo :
H/o Hypothyroidism : when diagnosed ? Medication?
Any other Chronic Medical Problems, when detected
drugs ?
(Anemia, SLE, Jaundice, CHD, Heart Disease)
Infection : H/O, Fever
(☐ Malaria ☐ UTI ☐ TORCH ☐ TB ☐ HIV ☐ HBV)
UTI : when : Any culture :

PPROM: Duration : ☐ Uterine Tenderness ☐ Foul Smelling Liquor ☐ HVS (if taken) - Results :

Medication during Pregnancy : Duration :




PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
6/7/26 3:45pm	S/B Resident	
	TOB - 3:05pm	
	45 min of life / 39 ¹² Term / SVD Cephalic / CIAB / ↑ UA resistance. Mch / Mat. anemia (used Fom) / 2852	
	Baby on room air	Plan
	Mother Bldgr - O ⁺	① DBF 2nd hly
	Baby doing well	② warm care
	1st feed given	③ Monitor for Motion & Urine output
	Euthemic and Pink	④ Trace baby blood group.
		⑤ GRBS 6am
		Solu
		NT by Piller
		6/7/26 26:30 am
	P/S Dr Annapurna.	1) establish feeding
		L
		07.

PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
07/07/26 8am	cls/B Resident	
	17HOL/39 ⁺ 3 Term SVD cephalic CIAB ↑ UA resistance mch Mat anemia on 9w Fcm 2852	
	Baby on room air Twt → 2.754kg 3.4% ↓	Plan TCBR @ 20HOL 5.4
	M/O ⁺ m/v ^③ B/B ⁺ v/v ^②	① DBF 2nd hly
	Regurgitate [⊕] after each feed Sucking & latching good.	② warm care.
	Euthermic - Pink	③ SBR } NBS } Tm OAE } 3pm
	Euglycemic - GLBS 54mg/dl	④ Trace Baby bld sp.
	cry } tone } good	⑤ Monitor vitals
	peripheries warm	⑥ Nasoclear drops before feed
	Femoralis [⊕] pulses	soluh
	CRT < 3sec	
	BL Red Reflex - [⊕] - Symmetrical	
10pm	r/s/s Dr. Annapes.	1) TCBR = 2 nd TCBR at 3pm D/c today. F/U Thu Am. F/U Wednesday evening



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
07/07/26. 11:10	<u>Lactation notes</u>	
	Lactation commencing done.	
	Position shown previously	
	Colostrum as seen	
	Baby is latching well.	
	feed adequately with	
	deep latch more	
	than 15-20ml each	
	side. (Adv) DBI-	
	<u>placenta</u>	



BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery



**Rainbow[®]
Children's
Hospital**
It takes a lot to treat the little.



BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

[illegible]

Patient Sticker

PROGRESS NOTES AND DOCTOR'S ORDER

[illegible]

INFANT (<1 year)
Children's Observation &
Early Warning Scoring Chart

EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 06/7/26	Time: 10PM	2PM	6PM												
Doctor/Nurse/Family Concern?															
Temperature (°F)	104	103	102	101	100	99	98	97	96	95	94				
Heart Rate (bpm)	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50
Blood Pressure (mmHg) *	130	120	110	100	90	80	70	60	50						
Note: BP does not score in early warning scoring															
Heart Rate (Number)	142	145bpm	124bpm												
Resp. Rate (bpm) or 1 Minute *	39	38b/m	38b/m												
Resp Distress	Mod/ Severe	None / Mild													
Receiving O ₂ (l/min)	1	99%	98%												
O ₂ Saturations (%)	14/15	(5/15)	(5/15)												
Conscious Level	Normal	Altered													
GCS *	14/15	(5/15)	(5/15)												
TOTAL SCORE	0	0	0												
Number of shaded boxes	0	0	0												
Pain Score	0	0	0												
Observer's Initials	2/	2/	2/												

ACTIONS

NB: Scores 3 should be recorded overleaf

- Score 1 : Continue normal observation by staff nurse
Score 2 : Shift in charge nurse to be informed and continue hourly observations
Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.
Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see
Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION : I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND : Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT : I think the problem is (XXX) and I have ...(e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION : I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)



6/7/25

FLUID CHART

Sheet No. : ①

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

		Intake			Output					IV Site Thrombo- phlebitis Score	Sign. Nurse
Date	Time	Nature of Fluid	Route		NG	Diarrhoea	Vomit	Drainage	Urine		
			Mouth	I.V	N.G						
	08:00 am										
	09:00 am										
	10:00 am										
	11:00 am										
	12:00 pm										
	01:00 pm										
Total Intake :					Total Output :						
	02:00 pm										
	03:00 pm										
	04:00 pm	DBM									
	05:00 pm										
	06:00 pm	DBM									
	07:00 pm										
Total Intake : <i>telam</i>					Total Output : <i>0-0 M-0</i>						
	08:00 pm	DBF									
	09:00 pm										
	10:00 pm	DBF									
	11:00 pm										
	12:00 am	DBF									
	01:00 am										
Total Intake :					Total Output : <i>0-1 M-2</i>						
	02:00 am	DBF									
	03:00 am										
	04:00 am	DBF									
	05:00 am										
	06:00 am	DBF									
	07:00 am										
Total Intake :					Total Output : <i>0-1 M-1</i>						
Total 24 hrs. Intake											
Total 24 hrs. Output			<i>0-2 M-3</i>								



FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.
3. 24 hrs. total to be entered in the kardex in RED.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombo-phlebitis Score	Sign. Nurse
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine		
	08:00 am											
	09:00 am											
	10:00 am											
	11:00 am											
	12:00 pm											
	01:00 pm											
Total Intake :						Total Output :						
	02:00 pm											
	03:00 pm											
	04:00 pm											
	05:00 pm											
	06:00 pm											
	07:00 pm											
Total Intake :						Total Output :						
	08:00 pm											
	09:00 pm											
	10:00 pm											
	11:00 pm											
	12:00 am											
	01:00 am											
Total Intake :						Total Output :						
	02:00 am											
	03:00 am											
	04:00 am											
	05:00 am											
	06:00 am											
	07:00 am											
Total Intake :						Total Output :						

Total 24 hrs. Intake

Total 24 hrs. Output

Patient Sticker

FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

		Intake				Output					IV Site Thrombo- phlebitis Score	Sign. Nurse
Date	Time	Nature of Fluid	Route			NG	Diarrhoea	Vomit	Drainage	Urine		
			Mouth	I.V	N.G							
	08:00 am											
	09:00 am											
	10:00 am											
	11:00 am											
	12:00 pm											
	01:00 pm											
Total Intake :						Total Output :						
	02:00 pm											
	03:00 pm											
	04:00 pm											
	05:00 pm											
	06:00 pm											
	07:00 pm											
Total Intake :						Total Output :						
	08:00 pm											
	09:00 pm											
	10:00 pm											
	11:00 pm											
	12:00 am											
	01:00 am											
Total Intake :						Total Output :						
	02:00 am											
	03:00 am											
	04:00 am											
	05:00 am											
	06:00 am											
	07:00 am											
Total Intake :						Total Output :						
Total 24 hrs. Intake												
Total 24 hrs. Output												

Patient Sticker

FLUID CHART

Rainbow Children's Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.
3. 24 hrs. total to be entered in the kardex in RED.

		Intake				Output					IV Site Thrombo- phlebitis Score	Sign. Nurse											
Date	Time	Nature of Fluid	Route			NG	Diarrhoea	Vomit	Drainage	Urine													
			Mouth	I.V	N.G																		
	08:00 am																						
	09:00 am																						
	10:00 am																						
	11:00 am																						
	12:00 pm																						
	01:00 pm																						
	Total Intake :						Total Output :																
	02:00 pm																						
	03:00 pm																						
	04:00 pm																						
	05:00 pm																						
	06:00 pm																						
	07:00 pm																						
Total Intake :						Total Output :																	
	08:00 pm																						
	09:00 pm																						
	10:00 pm																						
	11:00 pm																						
	12:00 am																						
	01:00 am																						
Total Intake :						Total Output :																	
	02:00 am																						
	03:00 am																						
	04:00 am																						
	05:00 am																						
	06:00 am																						
	07:00 am																						
Total Intake :						Total Output :																	
Total 24 hrs. Intake												Total 24 hrs. Output											



NURSING CARE RECORD

Shift: ☐ Morning ☒ Afternoon ☐ Night

Date: 6/21/26

Assessment:

new born baby.

Goals

- | | | | | | |
|---|--|---|---|---|---|
| ☐ Maintain Airway and Oxygenation | ☐ Relieve Pain & Discomfort | ☐ Maintain Fluid Balance | ☐ Improve Activity Tolerance | ☐ Maintain Good Nutritional Status | ☐ Maintain Skin Integrity |
| ☐ Maintain Personal Hygiene | ☐ Prevent Infection | ☐ Meet Elimination Needs | ☐ Ensure Safety | ☐ Early Ambulation Reduce Anxiety | ☐ Patient & Family Education |
| ☐ Identify Potential Complications | ☐ Any Others. Specify..... | | | | |

Time	Plan of Care	Time	Implementation	Evaluation
4 ^{PM}	Assess the baby condition	4:30 ^{PM}	Assessed the baby condition	
5 ^{PM}	monitoring vitals	5:30 ^{PM}	vitals checked & found baby is	
6 ^{PM}	DBM	6:30 ^{PM}	DBM given.	Stable
7 ^{PM}	burping	7:30 ^{PM}	burping done.	
	warm cover		warm cover done	

Re-Assessment:

Rest & Monitor good baby Feeding.

Special Notes:

SBR NBS OAE us her

Nurse Signature:

Nurse Name: Radler

Date & Time: 6/21/26



NURSING CARE RECORD

Shift: ☐ Morning ☐ Afternoon ☒ Night

Date: 6/7/26

Assessment: New born baby care

Goals

- | | | | | | |
|---|---|---|---|--|---|
| ☐ Maintain Airway and Oxygenation | ☐ Relieve Pain & Discomfort | ☐ Maintain Fluid Balance | ☐ Improve Activity Tolerance | ☒ Maintain Good Nutritional Status | ☐ Maintain Skin Integrity |
| ☐ Maintain Personal Hygiene | ☒ Prevent Infection | ☐ Meet Elimination Needs | ☒ Ensure Safety | ☐ Early Ambulation Reduce Anxiety | ☐ Patient & Family Education |
| ☐ Identify Potential Complications | ☐ Any Others. Specify..... | | | | |

Time	Plan of Care	Time	Implementation	Evaluation
8pm	* Assess the general condition of the baby	9pm	* Assessed the general condition of the baby	* New baby is stable
10pm	* monitor the vital's	11pm	* monitored the vital's	
12am	* Provide warm care	3am	* 2nd hourly feeding given	
2am	* 2nd hourly feeding given	3am	* Prevented infection	
4am	* Prevent infection	5am	* Provided warm care	
6am	* ensure safety	7am	* ensured safety	

Re-Assessment: or - Assessment done

Special Notes:

Nurse Signature:

Nurse Name: Durga C607539

Date & Time: 7/7/26 @ 8am

BAH-00660860 IP5-00176044
 Baby Of SRIRAM SUSHMITA
 08-07-2026 0 Y 0 M 0 D 7 H (M)
 Dr. ANNAPOORNA TADAVARTHY

NURSING CARE RECORD



Shift: ☐ Morning ☐ Afternoon ☐ Night

Date:

Assessment:

Goals

- ☐ Maintain Airway and Oxygenation
- ☐ Relieve Pain & Discomfort
- ☐ Maintain Fluid Balance
- ☐ Improve Activity Tolerance
- ☐ Maintain Good Nutritional Status
- ☐ Maintain Skin Integrity
- ☐ Maintain Personal Hygiene
- ☐ Prevent Infection
- ☐ Meet Elimination Needs
- ☐ Ensure Safety
- ☐ Early Ambulation Reduce Anxiety
- ☐ Patient & Family Education
- ☐ Identify Potential Complications
- ☐ Any Others. Specify.....

Time	Plan of Care	Time	Implementation	Evaluation

Re-Assessment:

Special Notes:

Nurse Signature:

Nurse Name:

Date & Time:

Patient Sticker

NURSING CARE RECORD

Shift: ☐ Morning ☐ Afternoon ☐ Night

Date:

Assessment:

Goals

- | | | | | | |
|---|--|---|---|---|---|
| ☐ Maintain Airway and Oxygenation | ☐ Relieve Pain & Discomfort | ☐ Maintain Fluid Balance | ☐ Improve Activity Tolerance | ☐ Maintain Good Nutritional Status | ☐ Maintain Skin Integrity |
| ☐ Maintain Personal Hygiene | ☐ Prevent Infection | ☐ Meet Elimination Needs | ☐ Ensure Safety | ☐ Early Ambulation Reduce Anxiety | ☐ Patient & Family Education |
| ☐ Identify Potential Complications | ☐ Any Others. Specify..... | | | | |

Time	Plan of Care	Time	Implementation	Evaluation

Re-Assessment:

Special Notes:

Nurse Signature:

Nurse Name:

Date & Time:

NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Dr. Annapurna Department: BC Date of Admission: 6/7/26

SITUATION	Diagnosis: <u>New born baby.</u>		Any Infection: ☐ Yes ☒ No ☐ Not Known If Yes Specify:			
	Area	Shift Time				
BACKGROUND	Medical Condition (Any special condition to be noted):	<u>NO</u>	<u>NA</u>			
ASSESSMENT	Allergy:	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Tubes/Drains/Catheter:	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Vital Signs:	Temp: <u>97.6</u>	<u>98.2 F</u>			
	Res:	<u>29 w</u>	<u>38 b/m</u>			
	SpO ₂ :	<u>100%</u>	<u>99%</u>			
	Pulse:	<u>142 w</u>	<u>145 b/m</u>			
	BP:	<u>-</u>	<u>-</u>			
	Fall Risk Score:	<u>0</u>	<u>0</u>			
Recommendations	Pain Score:	<u>0</u>	<u>0/10</u>			
	Safety Needs:	<u>Grill</u>	<u>Yes</u>			
	Physiotherapy	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Others Specify:	<u>NA</u>	<u>NA</u>			
	Special Diet:	☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Other Special Orders / Medications:		<u>NA</u>	<u>NA</u>			
Post Operative Procedure Special Orders:		<u>NA</u>	<u>NA</u>			
Handed Over By Name :		<u>Budley</u>	<u>Durga</u>			
Signature :		<u>[Signature]</u>	<u>[Signature]</u>			
Date:		<u>6/7/26</u>	<u>7/7/26</u>			
Time:		<u>8 AM</u>	<u>8 AM</u>			
Taken Over By Name :		<u>Alamy</u>	<u>Liwin</u>			
Signature :		<u>[Signature]</u>	<u>[Signature]</u>			
Date:		<u>6/7/26</u>	<u>7/7/26</u>			
Time:		<u>8 AM</u>	<u>8 AM</u>			

NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Department: Date of Admission:

SITUATION	Diagnosis:		Any Infection: ☐ Yes ☐ No ☐ Not Known If Yes Specify:				
BACKGROUND	Area						
	Shift Time						
	Medical Condition (Any special condition to be noted):						
ASSESSMENT	Allergy:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Tubes/Drains/Catheter:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Vital Signs:	Temp:					
	Res:						
	SpO ₂ :						
	Pulse:						
	BP:						
	Fall Risk Score:						
	Pain Score:						
Recommendations	Safety Needs:						
	Physiotherapy	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Others Specify:						
	Special Diet:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Other Special Orders / Medications:						
Post Operative Procedure Special Orders:							
Handed Over By Name :							
Signature :							
Date:							
Time:							
Taken Over By Name :							
Signature :							
Date:							
Time:							



THE HUMPTY DUMPTY SCALE

PARAMETER	CRITERIA	SCORE	DATE	DATE	DATE	DATE	DATE
Age	Less than 3 years old	4	4	4			
	3 to less than 7 years old	3					
	7 to less than 13 years old	2					
	13 years old and above	1					
Gender	Male	2	2	2			
	Female	1					
Diagnosis	Neurological Diagnosis	4					
	Alterations in Oxygenation (Respiratory Diagnosis, Dehydration, Anemia, Anorexia Syncope / Dizziness, etc.	3					
	Psych/ Behavioral Disorders	2					
	Other Diagnosis	1	4	1			
Cognitive Impairments	Not aware of Limitations	3					
	Forget Limitations	2					
	Oriented to own ability	1					
	History of Falls or Infant-Toddler Placed in Bed	4	4	4			
Environmental Factors	Patient uses assistive devices or infant toddler in crib or Furniture / Lighting (Tripled Room)	3					
	Patient Placed in Bed	2					
	Outpatient Area	1	1	1			
Response to Surgery / Sedation Anesthesia	Within 24 hours	3					
	Within 48 hours	2					
	More than 48 hours/ None	1	1	1			
Medication Usage	Sedatives (Excluding ICU patients sedated and paralyzed)	3					
	Hypnotics	3					
	Barbiturates	3					
	Phenothiazines	3					
	Antidepressants	3					
	Laxatives / Diuretics	3					
	Narcotics	3					
	One of the Meds listed above	2					
	Other Medications / None	1	1	1			
Total			14	14			

Intervention:

-Fall Risk: Low Humpty Dumpty Score = 7-11,

High Risk Humpty Dumpty Score = 12 or above

Bed in low position		NO	NO				
Call device within reach		NO	NO				
Wheels Locked		YES	YES				
Room free of clutter		YES	YES				
Adequate lighting		NO	NO				
Wheel chair support		NO	NO				
Other Intervention(s) Specify		NO	NO				
Nurse's Name:		Rolle					
Signature:		[Signature]					
Date:		6/7/24					
Time:		4pm					

BRADEN 'Q' SCALE


					Date :	6 July 2026	
					Time :	11:30 AM	
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or e:treimity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.		2	4
"Activity The degree of physical activity"	1. Bedfast : Confined to bed	2. Chairfast : Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.		2	4
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.		2	4
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.		2	4
FRICION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."		2	4
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.		4	4
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.		4	4
					TOTAL SCORE	28	28
					Evaluator's Name	2	28

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	• Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	• Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	• Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	• Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors.	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay



NEONATAL PAIN AGITATION SEDATION SCORE (N-PASS)

Assessment Criteria	Sedation		Normal	Pain / Agitation		Date	Date	Date	Date	Date	Date	Date	Date
	-2	-1	0	1	2	Time	Time	Time	Time	Time	Time	Time	Time
						6/17/24	7/17						
						4M	9AM						
						NA	NA						
Crying Irritability	No Cry with painful stimuli	Moans or cries minimally with painful stimuli	Appropriate crying Not irritable	Irritable or crying at intervals consolable	High-pitched or silent-continuous cry Inconsolable	0	0						
Behavior State	No arousal to any stimuli No spontaneous movement	Arouses minimally to stimuli Little spontaneous movement	Appropriate for gestational age	Restless, squirming Awakens frequently	Arching, kicking constantly awake or Arouses minimally / no movement (not sedated)	0	0						
Facial Expression	Mouth is lax No expression	Minimal expression with stimuli	Relaxed Appropriate	Any pain expression intermittent	Any pain expression continual	0	0						
Extremities Tone	No grasp reflex Flaccid tone	Weak grasp reflex decreased muscle tone	Relaxed hands and feet Normal Tone	Intermittent clenched toes, fists or finger splay Body is not tense	Continual clenched toes, fists, or finger splay Body is tense	0	0						
Vital Signs HR RR, BP, SaO₂	No variability with stimuli Hypoventilation or apnea	Less than 10% variability from baseline with stimuli	Within baseline or normal for gestational age	Increase 10-20% from baseline SaO ₂ 76-85% with stimulation - quick recovery	Increase greater than 20% from baseline, SaO ₂ less than or equal to 75% with stimulation - slow recovery Out of sync or fighting ventilator	0	0						
 Premature Pain Assessment: Scoring +3 if less than 28 weeks gestation age / Corrected Age +2 if 28 - 31 weeks gestation age / Corrected Age +1 if 32 - 35 weeks gestation age / Corrected Age Intervention Deep Sedation: Score = -10 to -5 Light Sedation: Score = -5 to -2 Pain Score less than or equal to 3 – No Intervention Pain Score greater than 3 – Intervention						Gestational Age / Corrected Age	34/3	34/3					
						Total Pain / Agitation Score	0	0					
						Intervention	NA	NA					
						Effectiveness	NA	NA					
						Signature	[Signature]	[Signature]					

NPASS: Neonatal Pain, Agitation & Sedation Scale

	Sedation	Pain / Agitation
How to use	- Observe the infant for a minute before selecting a score for each behavior. - Stimulate the infant and observe and select a score for each behavior. - Select only one numeric value (Highest) per behavior.	- Observe the infant for a minute before selecting a score for each behavior. - Select only one numeric value per behavior.
Scoring/ Documentation	- Sedation scores are negative scores only - Add the scores from the 5 individual behavior areas to generate a total NPASS Sedation score. (Do not add points for correcting gestational age) - NPASS Sedation total score has a range from 0 to -10 possible. - Document total NPASS Sedation score in the medical record.	- Pain/Agitation scores are positive scores only - Determine if scoring needs to be adjusted based on the patient's gestational age. See Premature Pain Assessment criteria. - Add the scores from the 5 individual behavior areas and for corrected gestational age (if indicated) to generate a total NPASS Pain/Agitation score. - NPASS Pain/Agitation total score has a range from 0 to 13 possible. - Document the total NPASS Pain/Agitation score in the medical record
Interpretation	- Desired levels of sedation vary according to the situation. - Discuss and determine sedation goal with provider. "Deep sedation": goal score of -10 to -5 - Deep sedation is not recommended unless an infant is receiving ventilator support, related to the high potential for hypoventilation and apnea "Light sedation": goal score of -5 to -2 - Reassess patient per frequency in local sedation policy - A negative score without the administration of opioids/ sedatives may indicate: - The premature infant's response to prolonged or persistent pain/stress - Neurologic depression, sepsis, or other pathology	- Does not provide pain intensity rating. - Any score greater than 3 indicates the possibility of the presence of pain in the infant - Continue evaluation to determine individualized patient interventions (non-pharmacological and pharmacological). - Reassess patient per frequency of local pain policy. - If upon reassessment, the NPASS pain/agitation total score remains consistent or higher, consider pharmacologic intervention.



MULTI-DISCIPLINARY PLAN OF CARE FORM

Diagnosis:

new born baby.

Date Time	Discipline	Type	Patient Needs / Problem List	Goal	Plan / Intervention	Signature	Team Verification
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Nursing ☐ Others:
<i>6/7/26</i> <i>e</i>	☒ Medical ☒ Nursing ☐ Others:	☒ Initial ☐ Modified ☐ Per-Op ☐ Post Op	<i>DBM</i>	<i>breathing</i>	<i>warm cover</i>	<i>e</i>	☐ Medical ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☐ Nursing ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☐ Nursing ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☐ Nursing ☐ Others:



INTERDISCIPLINARY PATIENT / FAMILY EDUCATION RECORD

Part - I.

Patient's / Learner Language: Patient / Learner Literacy: ☐ Read ☐ Write ☐ Speak Willingness to Learn: ☐ Yes ☐ No Healthcare Literacy: ☐ Yes ☐ No

Identified Education Needs:

- | | | | |
|----------------------------|--|--|---|
| 1. Diagnosis | 5. Medication / Therapy (safety, effects/ side effect, interactions) | 9. Nutrition / Diet | 13. Risk / Safety |
| 2. Treatment and Care Plan | 6. Discharge Medication | 10. Fall Risk Education | 14. Activity / Exercise |
| 3. Pain Management | 7. Infection Control Measures | 11. Safe use of Medical Equipment / Implantable Devices Safety | 15. Social & Rehabilitation Needs |
| 4. Informed Consent | 8. Diagnostic Test / Procedures | 12. Patient's / Family Rights | 16. Special Discharge / Follow-up Education / Coping Skills |
| | | | 17. Others |

Part - II

Date	Time	Need Identified	Information Taught	Use codes from the list in part III					Comments	Designation / Signature
				Person Taught	Learning Barriers	Teaching Tools	Mechanism/s to overcome barrier/s	Understanding		
6/7/20	4 PM	7	Infection Control - measures	Pt's	1	0	1	0	-	

Part - III: CODES

Who was taught:	PT: Patient	F: Father	M: Mother	S: Spouse	Sn: Son	D: Daughter	C: Caregiver	O: Other (Specify)
Learning Barriers:	1. No Learning Barriers 4. Language Barrier 7. Impaired Thought Process/Cognitive limitations 10. Financial Difficulties 13. Cultural/Religion Practice 2. Physical Impairment 5. Educational Level 8. Responsibilities at Home 11. Beliefs and Values 14. Others (Specify) 3. Emotional Barriers 6. Desire / Motivate to Learn 9. Cultural Differences 12. Impaired Vision/ or Hearing							
Teaching Tools Used:	A: Audio	D: Demonstration	V: Video	O: Oral	P: Printed			
Mechanism/s to overcome barrier/s:	1. None 3. Reassurance & Support 5. Respect values & beliefs 7. Other, Specify 2. Obtain translator 4. Teach Family / Others 6. Respect Cultural / Religion Preference							
Understanding:	1. Verbalizes Understanding 2. Demonstrates Understanding 3. Needs Review							

BAH-00860860 IP5-00176044
Baby Of SRIRAM SUSHMITA
08-07-2026 0 Y 0 M 0 D 3 H (M)
Dr. ANNAPOORNA TADAVARTHY

Rainbow
Children's
Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

NURSING DEPARTMENT NEWBORN - NURSING ASSESSMENT FORM

(Select and 'tick mark' [✓] the boxes as applicable)

Baby's Name: Mother's Name: Sushmita
Date of Birth: 6/7/20 Time of Birth: 3:02 pm Gender: ☐ Male ☐ Female
Birth Weight: 2.852 Kgs HC: 23 cm Length: 51 cm
Meconium in Liquor: ☐ Yes ☒ No Cried at Birth: ☐ Yes ☒ No
Term / Pre-term / Post-term:
Resuscitated: ☒ Yes ☐ No Blood Group: Mother: O+ Baby:
Feeding: ☒ Breast Feeding ☐ Formula ☐ Both First Feed Time: 4 pm

AFFIX MOTHER'S
IDENTIFICATION LABEL

Mode of Delivery: ☒ Normal ☐ LSCS - Emergency/ Elective ☐ Instrumental ☐ AVD
Indication:

Physical Assessment of New Born:

Temp: 37.6 °C HR: 142 /Min RR: 39 /Min BP: SpO₂: 100%
Pain Score: 0 (Follow N Pass)

Fall Risk Assessment: ☐ Yes ☒ No Score: 16 (Fill the Humpty Dumpty Sheet)

Risk in Pressure Sore: ☐ Yes ☒ No (Braden Q Score) (Fill the Braden Q Sheet)

Behaviour Status on admission: ☒ Sleeping ☐ Crying ☐ Calm ☐ Drowsy

Findings:

General Appearance: Posture: ☒ Well-Flexed ☐ Asymmetry

Skin: ☒ Pink ☐ Meconium Stain ☐ Others, Specify:

Nursing Management: (Please strike through If not applicable e.g. Yes / ~~No~~)

Vitamin K 1 mg I.M Administered: Yes / No

Routine Care Provided: Yes / No

Capillary Blood Glucose Monitoring Done: Yes / No

Neonatal Screening Done: Yes / No

1. Nutritional Screening: Feeding Problem Yes / No

2. Functional Screening: Musculoskeletal Congenital Abnormality Yes / No

3. Socio History: Siblings Yes / No

All information obtained from ☒ Mother ☐ Father ☐ Other Family Member

Newborn Screening Discussed: Yes / No

Nurse Name: Radhika Signature: [Signature]

Date & Time: 6/7/20 4 pm