

**Rainbow Children's Hospital - Banjara Hills**

8-2-120/103/1,2,3,4 and 5,Road No: 2, Banjara Hills, Telangana, Hyderabad, INDIA Banjara Hills ,Hyderabad
,Telangana, India ,500034.
TEL NO :+91-40-4466 5555
WEB : <https://rainbowhospitals.in>

ADMISSION SHEET**Registration Details :**

Admission No : IP5-00176011

Admit Date : 06-Jul-2026

Admit Time : 08:58 AM UHID : BAH-00646732

Patient Details :

Patient Name	: Baby ANANTHULA SHREYANVI	Age	: 2 Y 3 M 16 D
Guardian	: Mr ANANTHULA NARESH	DOB	: 20-03-2024
Gender	: Female	Religion	:
Occupation	:	Marital Status	: Single
Address (H)	: H NO 20-167/3/1, RAGHAVENDRA NILAYAM, R B NAGAR, STREET NO 8 Hyderabad Airport 1 Hyderabad Telangana INDIA 501218	Phone No	: 9573161453/ 9390470685
		E-mail	: ANANTHULA.NARESH01@GMAIL.COM

Admission Details :

Bed Type : DAY CARE

Bed No : HO DC 1

Ward Name : 1F-HEMATO-ONCOLOGY

Room No : HO DC 1

Admission Type : First Visit

Contact Details :

Name	: Mr ANANTHULA NARESH	Relationship	: Father
Contact Address	: H NO 20-167/3/1, RAGHAVENDRA NILAYAM, R B NAGAR, STREET NO 8 Hyderabad Airport 1 Hyderabad Telangana INDIA 501218	Phone No	: 9573161453 / 9390470685

Signature**Doctor Details :**

Doctor Name	: Dr. NALLA ANURAAG REDDY	Specialisation	: HEMATO ONCOLOGY
Referral Doctor	: Self	Phone No	:
Co-Consultant	:		

Payment Details :

Payment Mode : Cash

Deposit Amount : 4998.25

Payor Name : ICICI LOMBARD GENERAL
INSURANCE CO LTD

ACTIVITY RECORD FOR BILLING

Name : ANANTHULA SHREYANVI
 UHID No. 20-03-2024 2 Y 3 M 16 D (F)
 Date of A 20-03-2024
 Room / Bed No : Ward : Suggested Billable bed type :

WARD TRANSFERS

Date	Time	From	To	Signature of Nurse
6/7/26	9:25 AM	ER	ONCO	poorja

Cross Consultation Visit

	Doctors Name	Date	Order No.	Signature
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

[illegible]

Date

Investigations

Order No.

Signature

[illegible]

MEDICAL EQUIPMENT (WARR & ICH)

A hand-drawn graph on lined paper. The vertical axis is labeled 'Distance' and the horizontal axis is labeled 'Time'. A straight line, labeled 'A' and 'C', starts at the origin (0,0) and extends upwards and to the right, passing through several grid lines. The line is labeled 'A' near the top left and 'C' near the bottom left.

[illegible]

Prepared By : Pooja

Staff Nurse	Shift / Ward	Billing Assistant	Billing Supervisor
Pooja .	Morning Shift Onco		

BAH-00646732 IP5-00176011
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D (F)
Dr. NALLA ANURAG REDDY




**Rainbow[®]
Children's
Hospital**
It takes a lot to treat the little.


BirthRight[™]
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

ADMISSION CRITERIA – ONCOLOGY


Admission / Transfer from:

☒ Emergency ☐ Outpatient (OPD) ☐ Ward ☐ Operation Theater ☐ Others:

Tick (✓) any of the following criteria requiring admission / transfer to ONCOLOGY

- ☐ For Chemotherapy-Day Care or IP Admission as per the Type of Chemotherapy
- ☐ Febrile Neutropenias (ANC <500 cells / mm³)
- ☐ Netropenic Enterocolitis
- ☐ Mucositis Induced Significant Diarrohea or Pain
- ☐ Neurological Complications (like Seizures, Bleeding, Thrombosis) that can arise while on Chemotherapy Treatment or at the Time of Presentation and also for other Systemic Problems like Pancreatitis during Chemotherapy
- ☐ Management of Oncological Emergencies
- ☐ Bleeding Problems (where it is indicated)
- ☐ Evaluation and Management of Severe Anemias
- ☐ Day Care Admissions for PRBC Transfusions
- ☐ Evaluation and Management of Sick Children who come with Hematological Problems like Severe Anemia like Autoimmune Hemolytic Anemia/ Bleeding/ Others
- ☐ Primary Immunodeficiency Disorders with Infections that Warrants Hospitalisation
- ☐ Management and Evaluation of Hemophagocytic LymphoHisticytosis
- ☐ Any Systemic Disorders with Significant Hematological issues like JRA / SLE with Secondary HLH

Signature of the Doctor: 

Name of the Doctor: 

Date & Time: 6/2/26 @ 9:30am

BAH-00646732 IP5-00176011
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D (F)
Dr. NALLA ANURAG REDDY



DISCHARGE CRITERIA – ONCOLOGY

Discharge to:

☐ HDU / Step down ICU

☐ Ward

☐ Outside Facility

☒ Others: Home

Tick (✓) any of the following criteria requiring discharge / transfer from ONCOLOGY

- ☐ Completion of chemotherapy, with no debilitating side effects.
- ☐ Resolution of febrile episode, with no fever > 24hrs and Absolute Neutrophil count (ANC) > 500cells/mm³.
- ☐ Admitted patients - Once the admitting problem gets resolved or made a plan to manage further on out-patient basis.

Signature of the Doctor: A

Name of the Doctor: Snawan

Date & Time: 6/4/26 @ 4pm

BAH-00646732 IP5-00176011
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D (F)
Dr. NALLA ANURAAG REDDY



Rainbow®
Children's
Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

DOCTORS ASSESSMENT (IN-PATIENTS)

Admitting Doctor: Dr. Anuraag Reddy

Date: 06/07/2026

Type of Admission: ☐ OPD ☒ ER ☐ Referral (if referral, Doctor's Name: _____)

Start Time of Assessment: 8:55 AM

Weight: 12.6 kg

Allergic History: NKA

Chief Complaints:

12/10 - B-cell ALL

Now admitted for
chemotherapy

Pediatric Assessment Triangle

A Appearance - TICLS Normal



C Circulation ☒ Normal

B Breathing

☐ ↑ WOB

☐ ↓ WOB

☒ Normal

☐ Gasping / Apnea

☐ Abnormal

— Pallor ☐

— Cyanosis ☐

— Mottling ☐

— Bleeding ☐

Initial Physiological Status: ☒ Stable ☐ Unstable

— Life Threatening ☐

— Non Life Threatening ☐

Any urgent interventions needed: ☐ Yes ☒ No


If Yes _____

Significant Past History: 12/10 - B-cell ALL

Medication History: On Re-induction therapy

Relevant Investigations: _____

Primary Assessment



Airway



☒ Open

☐ Maintainable

☐ Not Maintainable

Any urgent interventions needed: ☐ Yes ☒ No

If Yes _____

B Breathing



Rate: 26 bpm SpO₂ on FiO₂ 98% - 2 RA

Rhythm: Normal

Retractions: ☐ Suprasternal ☐ ICR ☐ SCR

☐ Sternal ☐ Supraclavicular ☐ Nasal Flaring

Respiratory Noises: ☐ Stridor ☐ Wheezing ☐ Grunting

Air Entry: Bilateral clear

Palpation Findings (if necessary) _____

Any urgent interventions needed: ☐ Yes ☒ No

If Yes _____



Circulation

HR: 103 bpm CFT ☐ Central 4.3 sec ☐ Peripheral 4.3 sec

Any urgent interventions needed: ☐ Yes ☒ No

If Yes

BP: 94/60 mmHg

Pulse Volume: ☐ Central Good ☐ Peripheral Good

If in Shock: ☐ Compensated ☐ Hypotensive

Muffled Heart Sound: ☐ Yes ☒ No

Engorged Neck Veins: ☐ Yes ☒ No

Murmurs: ☐ Yes ☒ No

Liver Span:

ECG:

Any Signs of Heart Failure: ☐ Yes ☒ No



Disability

GCS: 15/15 AVPU: (A)

Pupils: ☐ Responsive ☒ Non-Responsive ☐
Size ☐ Right 3mm ☐ Left 3mm

Active Seizures: ☐ Yes ☒ No Sugars:

Signs of Neurological compromise

Any urgent interventions needed: ☐ Yes ☒ No

If Yes

Exposure



Temp.: 98.6°F

Any Rash: ☐ Yes ☒ No

If yes describe the rash

Active bleed

Lacerations ☐ Abrasions ☐ bruises ☐

Describe:

Any urgent interventions needed: ☐ Yes ☒ No

If Yes

Final Physiological Status: ☐ Respiratory Distress ☐ Respiratory Failure ☐ Respiratory Arrest
☐ Shock - Compensated ☐ Hypotensive ☐
☐ Cardiopulmonary Arrest ☒ Hemodynamically Stable

Secondary Assessment: Head to toe examination with positive findings:

Normal

Labs Planned:

CBP

Treatment Planned:

- Chemotherapy
- ENOXIDIN
- Septoran, Moxatol, Calcimax
Pain, vit D3

Need for Oxygen: ☐ Yes ☐ No if yes Low Flow ☐ High Flow ☐ PPV ☐

Final Diagnosis with possible Differential Diagnosis (If necessary):

Assessment done by
Name of the Doctor: Dr. Anderson

Signature: [Signature]

Date & Time: 05/07/2026, 9:15 AM

Sr. Doctor on Duty (If necessary)
Name of the Sr. Doctor:

Signature:

Date & Time:

BAH-00646732
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D
Dr. NALLA ANURAG REDDY (F)

Rainbow
Children's
Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

MEDICATION RECONCILIATION FORM

Drug Allergies:

☒ Not known any Drug Allergies

Medication Reconciliation will be done at the time of admission and also whenever there is change in the treating team or shifting from one unit to another unit.

(Example: at the time of admission shifting from ICU to Ward, or Ward to ICUs)

Shifting From: ER

Shifted to: Heart - oncology

S.No	MEDICATION NAME (GENERIC NAME CAPITAL LETTERS)	DOSE (mg, mcg)	ROUTE (PO, NG, SC, IV)	FREQUENCY	LAST DOSE Date / Time	ON ADMISSION / SHIFTING
1						☐ C ☐ DC
2						☐ C ☐ DC
3						☐ C ☐ DC
4						☐ C ☐ DC
5						☐ C ☐ DC
6						☐ C ☐ DC
7						☐ C ☐ DC
8						☐ C ☐ DC
9						☐ C ☐ DC
10						☐ C ☐ DC

* C- Continue, DC - Discontinue

MEDICATION HISTORY RECORDED / VERIFIED BY

Doctor Name & Signature: Nallu, Dr. Nanda

Date & Time: 06/07/2026, 9.15 AM

Nurse Name & Signature: poofs

Date & Time: 6/7/26 e 9.15 Am

BAH-00646732 IP5-00176011
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D (F)
Dr. NALLA ANURAG REDDY



**Rainbow[®]
Children's
Hospital**
It takes a lot to treat the little.

BirthRight[™]
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

RESULT SHEET

Date					
Time					
Hb					
PCV					
RBC					
WBC					
N/L					
Platelets					
CRP					
ESR					
PCT					
RBS					
Na					
K					
Cl					
Ca/Mg					
Phosphate					
Urea					
Creatinine					
ALP					
SGPT					
SGOT					
T.Bill/Conj					
T.Protein					
S.Albumin					
S.Globulin					
A/G Ratio					
Uric Acid					
S.Amylase					
Sr.Lipase					
Blood Lactate					
S.Cholesterol					
PT/INR					
APTT					
CSF Protein / Sugar					
Cells					
N/L					

Date						
Time						
CUE - Alb						
CUE - Sugar						
CUE - Ketones						
CUE - PUS Cells						
CUE - RBC Cells						
CUE						
Stool Pus Cell						
OVA / Cyst						
Occult Blood						

Culture and Sensitivities :

.....

.....

.....

Radiology : USG :

 X-Ray :

 ECHO :

 CT :

 MRI

 Others (ECG, Contrast Studies etc.,) :



Ward

Patient Sticker

Sheet No:

REGULAR PRESCRIPTIONS

Weight Ward

VERIFIED BY : Name Signature

DRUG :				Date Time																
Dose	Route	Frequency	Start Dt.																	
Name & Signature of the Doctor Starting the Drugs:																				
Additional Instructions:																				
Daily Doctor's Endorsement by a Sign																				

DRUG :				Date Time																
Dose	Route	Frequency	Start Dt.																	
Name & Signature of the Doctor Starting the Drugs:																				
Additional Instructions:																				
Daily Doctor's Endorsement by a Sign																				

DRUG :				Date Time																
Dose	Route	Frequency	Start Dt.																	
Name & Signature of the Doctor Starting the Drugs:																				
Additional Instructions:																				
Daily Doctor's Endorsement by a Sign																				

DRUG :				Date Time																
Dose	Route	Frequency	Start Dt.																	
Name & Signature of the Doctor Starting the Drugs:																				
Additional Instructions:																				
Daily Doctor's Endorsement by a Sign																				



DRUG CHART

Date of Admission: 06/07/2026 Drug Allergies: ☒ Not known any Drug Allergies

FOR THE SAFETY OF THE PATIENT

- GENERAL** - Ensure that all patient details are entered above. ONLY A DOCTOR SHALL WRITE MEDICATION ORDERS.
- DOCTOR** - Please use only approved abbreviations (refer to Hospital's approved list of abbreviations).
 - Use approved pharmaceutical names, BLOCK LETTERS, metric dosage. English instructions.
 - Any changes in drug therapy must be ordered by a NEW PRESCRIPTION. Do not alter existing instructions.
 - Discontinue a drug by drawing a line **I** through it and a similar line through subsequent recording panels.
 - The date and time of stopping the drug along with the doctors name and sign must be mentioned.
 - Only one chart should be in use at any one time. When the chart is full, a new supplement can be kept within this drug sheet folder.
- NURSES** - Nurses must follow strictly the FIVE RIGHTS before administration of medication.
 1) Right Patient 2) Right Drug 3) Right Dosage 4) Right Route 5) Right Time
 - AVOID TAKING VERBAL ORDERS. NO VERBAL ORDERS FOR HIGH RISK/HIGH ALERT MEDICINES (EXCEPT FIRST DOSE OF EPINEPHRINE DURING CPR). Follow Hospitals's Verbal Order Policy.

SOS / PRN (As Required Medication)

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			

DRUG :				Date Time															
Dose	Route	Frequency	Start Date																
Doctor's Signature		Valid Period	Pharm.																
Additional Instructions:																			



REGULAR PRESCRIPTIONS

Weight. 12.6 Kg Ward.

DRUG : <u>INS. ONDANSETRON</u>				Date/Time	<u>6/8</u>
Dose	Route	Frequency	Start Date		
<u>3mg</u>	<u>IV</u>	<u>BD</u>	<u>06/07/26</u>	<u>Gampah</u>	
Name & Signature of the Doctor Starting the Drugs:					
<u>Dr. Nandan</u>					
Additional Instructions:				<u>6pm</u>	
Daily Doctor's Endorsement by a Sign					
DRUG : <u>SYP. SEPTRAN</u>				Date/Time	<u>6/8</u>
Dose	Route	Frequency	Start Date		
<u>2.5ml</u>	<u>PO</u>	<u>BD</u>	<u>06/07/26</u>	<u>Gampah</u>	
Name & Signature of the Doctor Starting the Drugs:					
<u>Dr. Nandan</u>					
Additional Instructions:				<u>6pm</u>	
<u>on monday, wednesday, Friday</u>					
Daily Doctor's Endorsement by a Sign					
DRUG : <u>SYP. MORTEL</u>				Date/Time	<u>6/8</u>
Dose	Route	Frequency	Start Date		
<u>3ml</u>	<u>PO</u>	<u>OD</u>	<u>06/07/26</u>		
Name & Signature of the Doctor Starting the Drugs:					
<u>Dr. Nandan</u>					
Additional Instructions:				<u>8pm</u>	
Daily Doctor's Endorsement by a Sign					
DRUG : <u>SYP. CALCIMAX-PLV</u>				Date/Time	<u>6/8</u>
Dose	Route	Frequency	Start Date		
<u>3ml</u>	<u>PO</u>	<u>BD</u>	<u>06/07/26</u>	<u>Gampah</u>	
Name & Signature of the Doctor Starting the Drugs:					
<u>Dr. Nandan</u>					
Additional Instructions:				<u>8pm</u>	
Daily Doctor's Endorsement by a Sign					

Patient Sticker

Weight. Ward.

VARIABLE DOSE		Date Time	Nurse Sig.	Nurse Sig.	Nurse Sig.	Nurse Sig.
DRUG :		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Route	Start Date	Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Name & Signature of the Doctor		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Additional Instructions:		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.

VARIABLE DOSE		Date Time	Nurse Sig.	Nurse Sig.	Nurse Sig.	Nurse Sig.
DRUG :		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Route	Start Date	Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Name & Signature of the Doctor		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.
Additional Instructions:		Dose		Dose		Dose
		Dr. Sign.		Dr. Sign.		Dr. Sign.

STAT / ONCE ONLY DRUGS

Date	Time	Medication	Dosage & Other Instructions	Route	Signature	Nurses

Date	Time	Composition of I.V. Fluid (If infusion, mention ml/hr = Mcg/kg/min. etc)	Route	Flow Rate ml/hr	Doctor Sign	Nurse Sign	Date of Stopping	Doctor Sign	Nurse Sign

BAH-00646732

IP5-00176011

Baby ANANTHULA SHREYANVI

20-03-2024 2 Y 3 M 16 D

(F)

Dr. NALLA ANURAG REDDY



CHEMOTHERAPY PRESCRIPTION

All the chemotherapy medications are high risk / high alert drugs.
While administering chemotherapy drugs watch for nausea, vomiting, rashes,
urine output and any local extravasation of the drug.

Rainbow®
Children's
Hospital
It takes a lot to treat the little.

BirthRight™
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

Sheet No. : ①		Weight (kg) : 12.4	Body Surface Area: 0.5	Diagnosis: B-AU		Protocol: Re Induction				
DATE	TIME	Composition of Chemotherapy (if infusion, mention ml / hr = Mcg / kg / min. etc.)	DOSE	ROUTE	Flow Rate (ml/hr)	Doctor Sign.	Nurse Sign.	Date of Stopping	Doctor Sign.	Nurse Sign.
6/3/26	12pm	100 VINCRISTINE in 10 ml NS	0.75mg	IV	over 10 min	d	Pooja Divya	6/7	*	Pooja Divya
6/3/26	11am	100 DOXORUBICIN in 200 ml 1/2 NS	12 mg	IV	50ml/h 50ml/h slow	d	Pooja Divya	6/7	*	Pooja Divya



Nursing General Admission Assessment Form For Pediatrics

Diagnosis: 9:30am

Arrival Time: 12:56g Mode of Arrival: by parents Admitting From: ☒ ER ☐ OPD ☐ Direct

Allergy / Adverse Reaction: Body Weight: 12.6 Kg

Height: cm

Past Medical History: Obtained From ☐ Patient ☒ Family Member ☐ Medical Record ☐ Other (specify)

Past Medical History	Past Surgical History	Previous Hospital Admission
NA	NA	Yes

Family History:

Healthy family

Has the child or close family member had recent contact with a communicable disease? ☐ Yes ☒ No

yes please list,

Was the child's birth normal? ☒ Yes ☐ No If No, please describe problems:

Are the child's immunization up to date? ☐ Yes ☒ No

Current Medication: ☐ None ☒ Yes, If Yes, fill reconciliation form

Observations: Weight: 12.6kg Length: Head Circumference (< 2 years):

Temp.: 98.2 HR: 104b/m RR: 26b/m BP: 100/60

Pain Score: 0 Specify Site: (Follow Pain Assessment Sheet & Document)

Fall Risk Assessment: ☒ Yes ☐ No Score: (Document in the Humpty Dumpty Sheet)

Risk of Pressure Sore (Braden Q Score 28) (Document in the Braden Q Assessment Sheet)

Pain Screening: ☒ Yes ☐ No If Yes, Pain Score: 0 Pain Tool Used: ☐ N Pass ☒ FLACC ☐ Wong Baker

Character of Pain Location Frequency Duration

FUNCTIONAL SCREENING:☒ No Abnormalities Detected☐ Mobility Problem☐ Walking Problem☐ Developmental Delay☐ Musculoskeletal Congenital Abnormality

Inform consultant for positive criteria

NUTRITIONAL SCREENING:☒ No Abnormalities Detected☐ Underweight☐ Overweight☐ Special Feeding Method☐ Feeding Problem☐ Special diet☐ No Abnormality Detected

Inform consultant for positive criteria

Psychological Screening:☒ No Significant FindingsUnusual concerns about patient's Psychological Status: ☐ Yes ☒ No

If Yes Consultant Notified: (Date/Time):

Cultural & Spiritual Needs: ☐ Yes ☒ No if Yes specify Inform consultant for positive criteria.**Social History:** Lives With parentsSiblings in household ☒ Yes ☐ No (if yes How Many?) brotherAll Information Obtained From ☐ Patient ☒ Mother ☐ Father ☐ Other Family Member**Orientation has been given regarding the following aspects:**Call Bell in Reach: ☒ Yes ☐ NoWaste Disposal Explained: ☒ Yes ☐ NoInfusion Pump: ☒ Yes ☐ NoHand hygiene Explained: ☒ Yes ☐ No☐ OthersPatient Rights & Responsibilities: ☒ Yes ☐ NoInformation given to motherNurse Signature: [Signature]Nurse Name: PoojaDate: 6/11/26Time: 9:35am

Date : 6/2/2020 Time: 9am

[illegible]Temperature
(°F)Heart Rate
(bpm)

and

Blood Pressure
(mmHg) *

Note:

BP does not score in early warning scoring

Heart Rate (Number)

Resp. Rate (bpm)
(Over 1 Minute) *

Resp Rate (Number)

Resp	Mod/ Severe
Distress	None / Mild

Receiving O ₂ (l/min)	O ₂ Saturations (%)
0	95.0
1	95.0
2	95.0
3	95.0
4	95.0
5	95.0
6	95.0
7	95.0
8	95.0
9	95.0
10	95.0
11	95.0
12	95.0
13	95.0
14	95.0
15	95.0
16	95.0
17	95.0
18	95.0
19	95.0
20	95.0
21	95.0
22	95.0
23	95.0
24	95.0
25	95.0
26	95.0
27	95.0
28	95.0
29	95.0
30	95.0
31	95.0
32	95.0
33	95.0
34	95.0
35	95.0
36	95.0
37	95.0
38	95.0
39	95.0
40	95.0
41	95.0
42	95.0
43	95.0
44	95.0
45	95.0
46	95.0
47	95.0
48	95.0
49	95.0
50	95.0
51	95.0
52	95.0
53	95.0
54	95.0
55	95.0
56	95.0
57	95.0
58	95.0
59	95.0
60	95.0
61	95.0
62	95.0
63	95.0
64	95.0
65	95.0
66	95.0
67	95.0
68	95.0
69	95.0
70	95.0
71	95.0
72	95.0
73	95.0
74	95.0
75	95.0
76	95.0
77	95.0
78	95.0
79	95.0
80	95.0
81	95.0
82	95.0
83	95.0
84	95.0
85	95.0
86	95.0
87	95.0
88	95.0
89	95.0
90	95.0
91	95.0
92	95.0
93	95.0
94	95.0
95	95.0
96	95.0
97	95.0
98	95.0
99	95.0
100	95.0

Conscious Level	Normal Altered
-----------------	-------------------

GCS *

TOTAL SCORE

Number of shaded boxes

Pain Score

Observer's Initials

ACTIONS

NB: Scores 3 should be recorded overleaf

Score 1	: Continue normal observation by staff nurse
---------	--

Score 2 : Shift in charge nurse to be informed and continue hourly observations

Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.

Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see

Score 5 & 6 : Shift in charge AND PICU fellow or PICU consultant to be informed.

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION : I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND : Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT : I think the problem is (XXX) and I have ...(e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION : I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)

BAH-00646732 IP5-00176011
 Baby ANANTHULA SHREYANVI
 20-03-2024 2 Y 3 M 16 D (F)
 Dr. NALLA ANURAG REDDY



Rainbow Children's Hospital
 It takes a lot to treat the little.

BirthRight™
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery

FLUID CHART

Sheet No. : 01

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombophlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
	08:00 am												
	09:00 am												
	10:00 am												
	11:00 am												
	12:00 pm												
	01:00 pm	tho	100ml	50ml	50ml					100ml		sh	
Total Intake : 100ml						Total Output : 100ml							
	02:00 pm												
	03:00 pm									100ml			
	04:00 pm	tho	100ml									sh	
	05:00 pm												
	06:00 pm												
	07:00 pm												
Total Intake : 200ml						Total Output : 100ml							
	08:00 pm												
	09:00 pm												
	10:00 pm												
	11:00 pm												
	12:00 am												
	01:00 am												
Total Intake :						Total Output :							
	02:00 am												
	03:00 am												
	04:00 am												
	05:00 am												
	06:00 am												
	07:00 am												
Total Intake :						Total Output :							
Total 24 hrs. Intake						Total 24 hrs. Output							

FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.
3. 24 hrs. total to be entered in the kardex in RED.

		Intake				Output					IV Site Thrombo- phlebitis Score	Sign. Nurse
Date	Time	Nature of Fluid	Route			NG	Diarrhoea	Vomit	Drainage	Urine		
			Mouth	I.V	N.G							
	08:00 am											
	09:00 am											
	10:00 am											
	11:00 am											
	12:00 pm											
	01:00 pm											
Total Intake :						Total Output :						
	02:00 pm											
	03:00 pm											
	04:00 pm											
	05:00 pm											
	06:00 pm											
	07:00 pm											
Total Intake :						Total Output :						
	08:00 pm											
	09:00 pm											
	10:00 pm											
	11:00 pm											
	12:00 am											
	01:00 am											
Total Intake :						Total Output :						
	02:00 am											
	03:00 am											
	04:00 am											
	05:00 am											
	06:00 am											
	07:00 am											
Total Intake :						Total Output :						
Total 24 hrs. Intake												
Total 24 hrs. Output												

①

NURSING CARE RECORD

Shift: ☒ Morning ☐ Afternoon ☐ Night

Date: 6/7/26

Assessment: The Patient having weakness

Goals

- ☐ Maintain Airway and Oxygenation
- ☐ Relieve Pain & Discomfort
- ☒ Maintain Fluid Balance
- ☒ Improve Activity Tolerance
- ☐ Maintain Good Nutritional Status
- ☐ Maintain Skin Integrity
- ☐ Maintain Personal Hygiene
- ☐ Prevent Infection
- ☐ Meet Elimination Needs
- ☐ Ensure Safety
- ☐ Early Ambulation Reduce Anxiety
- ☒ Patient & Family Education
- ☐ Identify Potential Complications
- ☐ Any Others, Specify

Time	Plan of Care	Time	Implementation	Evaluation
9:30 am	Monitor Vital	10 am	Monitored Vital	
10 am	Administer medication as per doctor advice	10:30 am	Administered medication as per doctor advice	Pt felt better
10:30 am	Provide hydration	11 am	Provided Hydration	
11 am	Provide Supportive Care	11:30 am	Provided Supportive Care	

Re-Assessment: Pt felt better

Special Notes:

Nurse Signature: [Signature]

Nurse Name: Pooja

Date & Time: 6/7/26 1:30 pm

Patient Sticker

NURSING CARE RECORD

Shift: ☐ Morning ☐ Afternoon ☐ Night

Date:

Assessment:

Goals

- | | | | | | |
|---|--|---|---|---|---|
| ☐ Maintain Airway and Oxygenation | ☐ Relieve Pain & Discomfort | ☐ Maintain Fluid Balance | ☐ Improve Activity Tolerance | ☐ Maintain Good Nutritional Status | ☐ Maintain Skin Integrity |
| ☐ Maintain Personal Hygiene | ☐ Prevent Infection | ☐ Meet Elimination Needs | ☐ Ensure Safety | ☐ Early Ambulation Reduce Anxiety | ☐ Patient & Family Education |
| ☐ Identify Potential Complications | ☐ Any Others. Specify..... | | | | |

Time	Plan of Care	Time	Implementation	Evaluation

Re-Assessment:

Special Notes:

Nurse Signature:

Nurse Name:

Date & Time:



NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Dr. Nalla Anurag Department: ONCO Date of Admission: 6/7/26

SITUATION	Diagnosis: <u>B-cell ALL</u>		Any Infection: ☐ Yes ☐ No ☒ Not Known If Yes Specify:					
BACKGROUND	Area	Shift Time	ER 9:25 AM	ONCO 12 PM				
	Medical Condition (Any special condition to be noted):		NA	NA				
ASSESSMENT	Allergy:		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Tubes/Drains/Catheter:		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Vital Signs:	Temp:	98.3 F	98.5				
		Res:	28 bpm	26 bpm				
		SpO ₂ :	100%	100%				
		Pulse:	112 bpm	110 bpm				
		BP:	91/52	96/60				
	Fall Risk Score:		11	11				
Pain Score:		0/10	0					
Recommendations	Safety Needs:		yes	Sidney				
	Physiotherapy		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Others Specify:		NA	NA				
	Special Diet:		☐ Yes ☒ No	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Other Special Orders / Medications:		NA	NA				
Post Operative Procedure Special Orders:		NA	NA					
Handed Over By Name :		Pooja	Pooja					
Signature :		[Signature]	[Signature]					
Date:		6/7/26	6/7					
Time:		9:30 AM	12 PM					
Taken Over By Name :		Pooja	D/C					
Signature :		[Signature]	[Signature]					
Date:		6/7						
Time:		9:30 AM						

NURSING SHIFT HAND OVER FORM - WARD

Treating Doctor: Department: Date of Admission:

SITUATION	Diagnosis:	Any Infection: ☐ Yes ☐ No ☐ Not Known If Yes Specify:					
BACKGROUND	Area Shift Time						
	Medical Condition (Any special condition to be noted):						
ASSESSMENT	Allergy:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Tubes/Drains/Catheter:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Vital Signs:	Temp:					
		Res:					
		SpO ₂ :					
		Pulse:					
		BP:					
	Fall Risk Score:						
	Pain Score:						
Recommendations	Safety Needs:						
	Physiotherapy	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Others Specify:						
	Special Diet:	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Other Special Orders / Medications:						
	Post Operative Procedure Special Orders:						
	Handed Over By Name :						
	Signature :						
	Date:						
	Time:						
	Taken Over By Name :						
	Signature :						
	Date:						
	Time:						

BAH-00648732
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 18 D
Dr. NALLA ANURAAG REDDY (F)

BRADEN 'Q' SCALE

				Date : 6/2/26			
				Time : 8:40 am			
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.	4		
"Activity The degree of physical activity"	1. Bedfast : Confined to bed	2. Chairfast : Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair.	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.	4		
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.	4		
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.	4		
FRICION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times.	4		
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.	4		
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.	4		
TOTAL SCORE					28		
Evaluator's Name					pooja		

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	• Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	• Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	• Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	• Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors.	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay



PAIN ASSESSMENT FORM

Date	Time	Pain Score (0/10)	Location	Duration	Acuity	Character	Modifying Factors	Patient / Family Educated	Intervention	Sign
6/7/26	8:40 am	0/10	NA	☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No	NA NA	pooja
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		
				☐ Continuous ☐ Intermittent	☐ Acute ☐ Chronic	☐ Sharp ☐ Dull ☐ Aching ☐ Burning	☐ Increasing ☐ Decreasing	☐ Yes ☐ No		

Re-assessment Frequency:


- Every eight hours for all hospitalized patients.
- For post-surgical patients, patients with chronic pain, patient with severe pain:
 - At least every 2 hours for the first 24 hours
 - Then every 4 hours.
 - Prior to pain relieving intervention.
 - Within 30 – 60 minutes after pain relief intervention.

PAIN ASSESSMENT TOOLS

FLACC PAIN ASSESSMENT SCALE (1 Month to 7 Years)

CATEGORY	SCORING		
	0	1	2
Face	No Particular expression or smile	Occasional Grimace or Frown, withdraw, Disoriented	Frequent to constant frown, quivering chin, clenched jaw
Legs	Normal Position or Relaxed	Uneasy, restless, tense	Kicking, or legs drawn up
Activity	Laying quietly normal position, moves easily	Squirming shifting back and forth, tense	Arched, rigid, or Jerking
Cry	No Cry (Awake or asleep)	Moans or whimpers occasional complaint	Crying steadily, screams of sobs, frequent complaints
Consolability	Content, relaxed	Reassured by occasional touching, hugging, or being talked to, distractible	Difficult to console or comfort

Numerical Pain Scale (Obstetric and Gynecology)



Neonatal Pain, Agitation and Sedation Scale (upto 1 Month)

Assessment Criteria	Sedation		Normal	Pain / Agitation	
	-2	-1	0	1	2
Crying Irritability	No Cry with painful stimuli	Moans or cries minimally with painful stimuli	Appropriate crying Not irritable	Irritable or crying at intervals consolable	High-pitched or silent-continuous cry Inconsolable
Behavior State	No arousal to any stimuli No spontaneous movement	Arouses minimally to stimuli Little spontaneous movement	Appropriate for gestational age	Restless, squirming Awakens frequently	Arching, kicking constantly awake or Arouses minimally / no movement (not sedated)
Facial Expression	Mouth is lax No expression	Minimal expression with stimuli	Relaxed Appropriate	Any pain expression intermittent	Any pain expression continual
Extremities Tone	No grasp reflex Flaccid tone	Weak grasp reflex decreased muscle tone	Relaxed hands and feet Normal Tone	Intermittent clenched toes, fists or finger splay Body is not tense	Continual clenched toes, fists, or finger splay Body is tense
Vital Signs HR, RR, BP, SaO₂	No variability with stimuli Hypoventilation or apnea	Less than 10% variability from baseline with stimuli	Within baseline or normal for gestational age	Increase 10-20% from baseline SaO ₂ 76-85% with stimulation - quick recovery	Increase greater than 20% from baseline, SaO ₂ less than or equal to 75% with stimulation - slow recovery Out of sync or fighting ventilator

Wong - Baker (Pediatrics) Above 7 Years





THE HUMPTY DUMPTY SCALE 6/7

PARAMETER	CRITERIA	SCORE	DATE	DATE	DATE	DATE	DATE
Age	Less than 3 years old	4	4				
	3 to less than 7 years old	3					
	7 to less than 13 years old	2					
	13 years old and above	1					
Gender	Male	2					
	Female	1	1				
Diagnosis	Neurological Diagnosis	4					
	Alterations in Oxygenation (Respiratory Diagnosis, Dehydration, Anemia, Anorexia Syncope / Dizziness, etc.	3					
	Psych / Behavioral Disorders	2					
	Other Diagnosis	1	1				
Cognitive Impairments	Not Aware of Limitations	3					
	Forget Limitations	2					
	Oriented to own Ability	1	1				
	History of Falls or Infant - Toddler Placed in Bed	4					
Environmental Factors	Patient uses assistive devices or Infant Toddler in Crib or Furniture / Lighting (Tripled Room)	3					
	Patient Placed in Bed	2	2				
	Outpatient Area	1					
Response to Surgery / Sedation Anesthesia	Within 24 hours	3					
	Within 48 hours	2					
	More than 48 hours / None	1	1				
Medication Usage	Sedatives (excluding ICU patients sedated and paralyzed)	3					
	Hypnotics	3					
	Barbiturates	3					
	Phenothiazines	3					
	Antidepressants	3					
	Laxatives / Diuretics	3					
	Narcotics	3					
	One of the Meds listed above	2					
	Other Medications / None	1	1				
TOTAL			11				

Intervention :

-Fall Risk : Low Humpty Dumpty Score = 7-11,

High Risk Humpty Dumpty Score = 12 or above

Bed in low position		Yes				
Call device within reach		Yes				
Wheels Locked		Yes				
Room free of clutter		Yes				
Adequate Lighting		Yes				
Wheel Chair Support		No				
Other Intervention(s) Specify		No				
Nurse's Name :		poorh				
Signature :		2				
Date :		6/7				
Time :		8:40 AM				



CENTRAL LINE MAINTENANCE CARE BUNDLE CHECK LIST

Type of Line: ☐ PICC Line ☐ UAC ☐ UVC ☐ Other Date of Initial Line Insertion: Duration of Central Line:

- Always perform hand hygiene before accessing central line
- Use Sterile gloves for handling central line
- Clean the hub with antiseptic solution every time before & after it is accessed
- Consider – antibiotic via central line before removal of the line
- Inspect Central line in each shift for the following

Parameters	Date	Shift Time						
Can we remove Central Line today (Discuss in the clinical round)	6/4/24	12pm	☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Evidence of any inflammation at insertion site (Redness / Swelling (If yes inform the doctor))			☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Blood at insertion site (If yes inform the doctor)			☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Any peeling of dressing? (If yes inform the doctor)			☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Is dressing clean and dry? (If no inform the doctor)			☒ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Any leakage at insertion site? (If yes inform the doctor)			☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Is there any obstruction to the infusion flow? (If yes inform the doctor)			☐ Yes ☒ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Dressing intact and labelled properly			☒ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Central line changed on								
Name of the Nurse			Pooja					
Signature of the Nurse			LS					

BAH-00646732 IP5-00176011
Baby ANANTHULA SHREYANVI
20-03-2024 2 Y 3 M 16 D (F)
Dr. NALLA ANURAG REDDY



INTERDISCIPLINARY PATIENT / FAMILY EDUCATION RECORD

**Rainbow[®]
Children's
Hospital**
It takes a lot to treat the little.

BirthRight[™]
BY RAINBOW HOSPITALS
Your Right to a Safe Delivery

P

Patient's / Learner Language: English Patient / Learner Literacy: ☐ Read ☒ Write ☐ Speak Willingness to Learn: ☐ Yes ☐ No Healthcare Literacy: ☒ Yes ☐ No

Identified Education Needs:

- | | | | |
|----------------------------|--|--|---|
| 1. Diagnosis | 5. Medication / Therapy (safety, effects/ side effect, interactions) | 9. Nutrition / Diet | 13. Risk / Safety |
| 2. Treatment and Care Plan | 6. Discharge Medication | 10. Fall Risk Education | 14. Activity / Exercise |
| 3. Pain Management | 7. Infection Control Measures | 11. Safe use of Medical Equipment / Implantable Devices Safety | 15. Social & Rehabilitation Needs |
| 4. Informed Consent | 8. Diagnostic Test / Procedures | 12. Patient's / Family Rights | 16. Special Discharge / Follow-up Education / Coping Skills |
| | | | 17. Others |

Part - II

Date	Time	Need Identified	Information Taught	Use codes from the list in part III					Comments	Designation / Signature
				Person Taught	Learning Barriers	Teaching Tools	Mechanism/s to overcome barrier/s	Understanding		
6/2/24	8:40 am	1	infection control measures	M	4	0	1	1	NA	poofa

Part - III: CODES

Who was taught:	PT: Patient	F: Father	M: Mother	S: Spouse	Sn: Son	D: Daughter	C: Caregiver	O: Other (Specify)
Learning Barriers:								
1. No Learning Barriers	4. Language Barrier	7. Impaired Thought Process/Cognitive limitations	10. Financial Difficulties	13. Cultural/Religion Practice				
2. Physical Impairment	5. Educational Level	8. Responsibilities at Home	11. Beliefs and Values	14. Others (Specify)				
3. Emotional Barriers	6. Desire / Motivate to Learn	9. Cultural Differences	12. Impaired Vision/ or Hearing					
Teaching Tools Used: A: Audio D: Demonstration V: Video O: Oral P: Printed								
Mechanism/s to overcome barrier/s:								
1. None	3. Reassurance & Support	5. Respect values & beliefs	7. Other, Specify					
2. Obtain translator	4. Teach Family / Others	6. Respect Cultural / Religion Preference						
Understanding: 1. Verbalizes Understanding 2. Demonstrates Understanding 3. Needs Review								



MULTI-DISCIPLINARY PLAN OF CARE FORM

Diagnosis: B-cell ALL

Date Time	Discipline	Type	Patient Needs / Problem List	Goal	Plan / Intervention	Signature	Team Verification
6/2/26 9:20 am	☒ Medical ☐ Nursing ☐ Others:	☒ Initial ☐ Modified ☐ Per-Op ☐ Post Op	B-cell ALL	Resolution	Chemotherapy	Neel	☒ Nursing ☐ Others:
6/2/26 9:20 am	☐ Medical ☒ Nursing ☐ Others:	☒ Initial ☐ Modified ☐ Per-Op ☐ Post Op	B-cell ALL	U- Dabbing	chemotherapy	Boji	☒ Medical ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☐ Nursing ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☒ Nursing ☐ Others:
	☐ Medical ☐ Nursing ☐ Others:	☐ Initial ☐ Modified ☐ Per-Op ☐ Post Op					☐ Medical ☐ Nursing ☐ Others: